

artos[®]

PS108


INSTALLATION GUIDE

premier series shower set

BRUSHED NICKEL(BN)



CHROME(CH)



BLACK(BK)



artos[®]

PS108

premier series shower set

OPERATING SPECIFICATIONS



FEATURES

Solid Brass
3-Outlets

OPERATING PRESSURE

Minimum: 15 psi
Maximum: 75 psi
Above 90psi it may be necessary to install a pressure reducer

OPERATING TEMPERATURE



Maximum: 176°

FLOW CAPACITY

Hand Shower: 1.8 USGPM
Shower Head: 1.8 USGPM

F901-8 APPROVAL







artos[®]

PS108

premier series shower set

PRODUCT DIMENSIONS

for wall mount shower head






artos[®]

PS108

premier series shower set

PRODUCT DIMENSIONS

for ceiling mount shower head




artos[®]

PS108



premier series shower set

PRODUCT DIMENSIONS


for hand shower




valve trim



STEP 3




STEP 4




INSTALLATION STEPS

STEP 5



STEP 6




artos[®]

PS108


INSTALLATION STEPS

valve trim

STEP 7




STEP 8




wall mount shower head

STEP 1





STEP 2



artos[®]


PS108

wall mount shower head




INSTALLATION STEPS


STEP 5



STEP 6



STEP 7




artos®


PS108

ceiling mount shower head

STEP 1




STEP 2




INSTALLATION STEPS

STEP 3



STEP 4




artos[®]


PS 108

hand shower


STEP 1 *ALL DIMENSIONS ARE APPROXIMATE




STEP 3





STEP 2







STEP 4




INSTALLATION STEPS








premier series shower set

STEP 5





STEP 6





- | | |
|------------------------------|-------------------------------|
| ① ESCUTCHEON: F903-8P | ⑧ LOCKING NUT SET SCREW |
| ② DIVERTER LOCKING NUT | ⑨ THERMOSTAT LOCKING NUT |
| ③ NYLON WASHER | ⑩ NYLON WASHER |
| ④ HANDLE HOLE CAP | ⑪ TEMPERATURE LIMITING RING |
| ⑤ DIVERTER HANDLE LEVER | ⑫ THERMOSTAT HANDLE: F904A-1H |
| ⑥ DIVERTER SET SCREW | ⑬ THERMOSTAT SET SCREW |
| ⑦ DIVERTER HANDLE: F903A-12H | ⑭ ALLEN WRENCH |





- ① ESCUTCHEON
- ② SHOWER ARM: F902-3
- ③ SWIVEL ARM SECURING NUT
- ④ SWIVEL ARM
- ⑤ RAINHEAD: F901-8


artos[®]

PS108

premier series shower set

PARTS BREAKDOWN

for F907-5



- ① **HAND SHOWER:** F901-3
- ② **HAND SHOWER CHECK VALVE**
- ③ **ESCUTCHEON PLATE**
- ④ **SHOWER OUTLET ELBOW AND HOLDER:** F902-42
- ⑤ **SHOWER HOSE**