

artos®

PS121

INSTALLATION GUIDE

premier series shower set

BRUSHED NICKEL(BN)



CHROME(CH)



BLACK(BK)



artos[®]

PS121

premier series shower set

OPERATING SPECIFICATIONS



FEATURES

Solid Brass
3-Outlets

INCLUDES

F903B-60TK
F907-70
F907-24
F402-10



OPERATING PRESSURE

Minimum: 15 psi
Maximum: 75 psi
Above 90psi it may be necessary to install a pressure reducer

OPERATING TEMPERATURE

Maximum: 176°

FLOW CAPACITY

Hand Shower: 1.8 USGPM
Shower Head: 1.8 USGPM

F901-8 APPROVAL





artos[®]

PS121

PRODUCT DIMENSIONS

premier series shower set

for trim kit




artos[®]


PS121



PRODUCT DIMENSIONS

premier series shower set

for shower head









valve trim

STEP 1





STEP 2



artos[®]


PS121

valve trim




INSTALLATION STEPS



STEP 5







STEP 6



valve trim



shower head




artos[®]


PS121

shower head

STEP 5




STEP 6



INSTALLATION STEPS





STEP 7



artos[®]


PS121

hand shower




INSTALLATION STEPS


STEP 5



STEP 6




STEP 1



STEP 2


1-3/8" DIAMETER THROUGH
FINISHED WALL




MIXED WATER
FROM CONTROL

INSTALLATION STEPS


STEP 3



STEP 4




STEP 5





INSTALLATION STEPS

STEP 6




STEP 7






- | | |
|------------------------------|-------------------------------|
| ① ESCUTCHEON: F903A-9P | ⑧ LOCKING NUT SET SCREW |
| ② DIVERTER LOCKING NUT | ⑨ THERMOSTAT LOCKING NUT |
| ③ NYLON WASHER | ⑩ NYLON WASHER |
| ④ HANDLE HOLE CAP | ⑪ TEMPERATURE LIMITING RING |
| ⑤ DIVERTER HANDLE LEVER | ⑫ THERMOSTAT HANDLE: F904A-1H |
| ⑥ DIVERTER SET SCREW | ⑬ THERMOSTAT SET SCREW |
| ⑦ DIVERTER HANDLE: F903A-12H | ⑭ ALLEN WRENCH |



- ① ESCUTCHEON PLATE: F915-1
- ② SHOWER ARM: F902-1
- ③ SWIVEL ARM SECURING NUT
- ④ SWIVEL ARM
- ⑤ SHOWER HEAD SCREWS
- ⑥ SHOWER HEAD TOP: F901-8
- ⑦ RUBBER MATRIX
- ⑧ SHOWER HEAD BOTTOM



- ① **HAND SHOWER:** F901-3
- ② **HAND SHOWER CHECK VALVE**
- ③ **ESCUTCHEON PLATE**
- ④ **SHOWER OUTLET ELBOW AND HOLDER:** FSC1002
- ⑤ **SHOWER HOSE:** F902-8


artos[®]

PS121

premier series shower set

PARTS BREAKDOWN

for F402-10



- 1 WALL CONNECTION
- 2 ESCUTCHEON
- 3 SPOUT
- 4 SET SCREW (2)
- 5 ALLEN WRENCH