

artos[®]

PS128

INSTALLATION GUIDE

premier series shower set

BRUSHED NICKEL(BN)



CHROME(CH)



BLACK (BK)



artos[®]

PS128

OPERATING SPECIFICATIONS

premier series shower set



FEATURES

Solid Brass
3-Outlets

INCLUDES

F903B-58TK
F907-5
F907-60
F905-2 x 3

OPERATING PRESSURE

Minimum: 15 psi
Maximum: 75 psi
Above 90psi it may be necessary to install a pressure reducer

OPERATING TEMPERATURE

Maximum: 176°

FLOW CAPACITY

Hand Shower: 1.8 USGPM
Shower Head: 1.8 USGPM
Body Jets: 1.8 USGPM





artos[®]

PS128

premier series shower set

PRODUCT DIMENSIONS

for trim kit




artos[®]

PS128

premier series shower set

PRODUCT DIMENSIONS

for shower head




artos[®]


PS128

premier series shower set

PRODUCT DIMENSIONS


for hand shower






valve trim


STEP 1




STEP 2



STEP 3




STEP 4




INSTALLATION STEPS

STEP 5




STEP 6




valve trim





STEP 7



STEP 8



shower head




artos[®]


PS128

shower head

STEP 5




STEP 6




INSTALLATION STEPS

STEP 7



STEP 8




artos[®]


PS128

hand shower


STEP 1 *ALL DIMENSIONS ARE APPROXIMATE




STEP 3





STEP 2



STEP 4



INSTALLATION STEPS




artos[®]


PS128

body jet


STEP 1



STEP 2




STEP 3






INSTALLATION STEPS

STEP 4




STEP 5





- | | |
|------------------------------|-------------------------------|
| ① ESCUTCHEON: F903-8P | ⑧ LOCKING NUT SET SCREW |
| ② DIVERTER LOCKING NUT | ⑨ THERMOSTAT LOCKING NUT |
| ③ NYLON WASHER | ⑩ NYLON WASHER |
| ④ HANDLE HOLE CAP | ⑪ TEMPERATURE LIMITING RING |
| ⑤ DIVERTER HANDLE LEVER | ⑫ THERMOSTAT HANDLE: F904A-1H |
| ⑥ DIVERTER SET SCREW | ⑬ THERMOSTAT SET SCREW |
| ⑦ DIVERTER HANDLE: F903A-12H | ⑭ ALLEN WRENCH |




artos[®]

PS128


premier series shower set

PARTS BREAKDOWN

for F907-5



- ① **HAND SHOWER:** F901-3
- ② **HAND SHOWER CHECK VALVE**
- ③ **ESCUTCHEON PLATE**
- ④ **SHOWER OUTLET ELBOW AND HOLDER:** F902-42
- ⑤ **SHOWER HOSE:** F902-8



① ESCUTCHEON

② BODY JET: F905-2