


artos[®]

PS135


INSTALLATION GUIDE

premier series shower set




BRUSHED NICKEL(BN)



CHROME(CH)



BLACK (BK)




artos[®]

PS135

OPERATING SPECIFICATIONS

premier series shower set



FEATURES

Solid Brass

2-Outlets

INCLUDES

F903B-59TK

F907-46

F907-50



OPERATING PRESSURE

Minimum: 15 psi

Maximum: 75 psi

Above 90psi it may be necessary to install a pressure reducer

OPERATING TEMPERATURE

Maximum: 176°

FLOW CAPACITY

Hand Shower: 1.8 USGPM

Shower Head: 1.8 USGPM

F901-8 APPROVAL





artos[®]

PS135

PRODUCT DIMENSIONS

premier series shower set

for trim kit




artos[®]

PS135

premier series shower set

PRODUCT DIMENSIONS

for shower head




artos[®]

PS135


premier series shower set

PRODUCT DIMENSIONS


for hand shower



STEP 1




STEP 2




INSTALLATION STEPS


STEP 3




STEP 4





STEP 5



STEP 6






INSTALLATION STEPS



artos[®]


PS135

shower head




INSTALLATION STEPS

STEP 4







STEP 5





artos[®]

PS135

hand shower





INSTALLATION STEPS





artos[®]

PS135

hand shower



INSTALLATION STEPS







artos[®]

PS135


INSTALLATION STEPS

hand shower






- | | |
|------------------------------|-------------------------------|
| ① ESCUTCHEON: F903A-9P | ⑧ THERMOSTAT LOCKING NUT |
| ② DIVERTER LOCKING NUT | ⑨ NYLON WASHER |
| ③ NYLON WASHER | ⑩ TEMPERATURE LIMITING RING |
| ④ DIVERTER HANDLE: F903A-10H | ⑪ THERMOSTAT HANDLE: F904A-2H |
| ⑤ DIVERTER SET SCREW | ⑫ THERMOSTAT SET SCREW |
| ⑥ ALLEN WRENCH | |
| ⑦ LOCKING NUT SET SCREW | |



- ① **SHOWER ESCUTCHEON** F907-50 XP1
- ② **SHOWER ARM** F907-50 XP2
- ③ **SWIVEL ARM SECURING NUT** F907-50 XP3
- ④ **SWIVEL ARM** F907-50 XP4
- ⑤ **SHOWER HEAD SCREWS** F907-50 XP5
- ⑥ **SHOWER HEAD TOP** F907-50 XP6
- ⑦ **RUBBER MATRIX** F907-50 XP7
- ⑧ **SHOWER HEAD BOTTOM** F907-50 XP8



- ① WALL BRACKET SET SCREW
- ② SLIDE BAR: F902-14
- ③ SLIDE BAR ADJUSTMENT HANDLE
- ④ HAND SHOWER HOLDER
- ⑤ HAND SHOWER HOLDER SCREW
- ⑥ SLIDE BAR INLET/OUTLET
- ⑦ INLET ADAPTER
- ⑧ SLIDE BAR INLET/OUTLET SET SCREW
- ⑨ WALL ANCHORS
- ⑩ WALL BRACKET
- ⑪ WALL BRACKET SCREWS
- ⑫ HAND SHOWER: F902-15
- ⑬ HAND SHOWER CHECK VALVE
- ⑭ HAND SHOWER HOSE: F902-8