

PS109

Square + Round Thermostatic Shower Trim Kit
with Wall Mount Shower Head, Ceiling Mount
Shower Head, Hand Held Shower

artos®

OPERATING SPECIFICATIONS

OPERATING PRESSURE

Minimum: 15 psi

Maximum: 125 psi

Above 90psi it may be necessary to
install a pressure reducer

OPERATING TEMPERATURE

Maximum: 176°

FLOW CAPACITY

Shower Head: 1.8 USGPM

Handshower: 1.8 USGPM

STANDARDS

ASSE 1016-2011

ASME_A112.1016-2011

CSA B125:16-11



PS109


artos®

Square + Round Thermostatic Shower Trim Kit with Wall Mount Shower Head, Ceiling Mount Shower Head, Hand Held Shower

PRODUCT DIMENSIONS

PRODUCT SKU

F903B-60TK



PS109


artos®

Square + Round Thermostatic Shower Trim Kit with
Wall Mount Shower Head, Ceiling Mount Shower
Head, Hand Held Shower

PRODUCT DIMENSIONS

PRODUCT SKU

F902-30



PS109


artos®

Square + Round Thermostatic Shower Trim Kit with
Wall Mount Shower Head, Ceiling Mount Shower
Head, Hand Held Shower

PRODUCT DIMENSIONS

PRODUCT SKU

F901-8



PS109


artos®

Square + Round Thermostatic Shower Trim Kit with
Wall Mount Shower Head, Ceiling Mount Shower
Head, Hand Held Shower

PRODUCT DIMENSIONS

PRODUCT SKU

F902-28



PS109


artos®

Square + Round Thermostatic Shower Trim Kit with
Wall Mount Shower Head, Ceiling Mount Shower
Head, Hand Held Shower

PRODUCT DIMENSIONS

PRODUCT SKU

F901-18



PS109


artos®

Square + Round Thermostatic Shower Trim Kit with
Wall Mount Shower Head, Ceiling Mount Shower
Head, Hand Held Shower

PRODUCT DIMENSIONS

PRODUCT SKU

F902-42SQ



PS109


artos®

Square + Round Thermostatic Shower Trim Kit with
Wall Mount Shower Head, Ceiling Mount Shower
Head, Hand Held Shower

PRODUCT DIMENSIONS

PRODUCT SKU

F901-3



PS109


artos®

Square + Round Thermostatic Shower Trim Kit with
Wall Mount Shower Head, Ceiling Mount Shower
Head, Hand Held Shower

PRODUCT DIMENSIONS

PRODUCT SKU

F902-8



METAL SHOWER HOSE

1/2" FEMALE NPT CONNECTIONS
60" IN LENGTH