



¾" double coaxial thermostatic pressure balance system with 2 hand shower rails, 2 shower arms and 2 shower heads

KIT#1483VSTMXX



Specifications

Composition

- 1010 - Hand shower rail
- 503 - 40 cm (16") shower arm
- 468 - 20 cm (8") shower head
- 790 - Elbow supply with shut-off valve
- VSTM83 - ¾" double coaxial thermostatic pressure balance valve

Available colors

- C : Chrome
- BN : Brushed nickel (PVD)

Certifications

- ASSE 1016
- ASME A112.18.1
- CMR248 Approval
- CSA B125.1

Sizes, models and finishes may differ from those presented.

Warranty

The Riobel inc. product carries a limited LIFETIME warranty on the finish Chrome, Gold (PVD), Brushed nickel (PVD), Night brushed (PVD), Polished nickel (PVD) and all working parts and is guaranteed from the initial date of purchase against all manufacturing defects. Other finished 1 year.

Customer service

Ontario, West Canada : 888-287-5354 Quebec, Maritimes, United States : 866-473-8442



Hand shower rail

1010XX



Specifications

Descriptions

- 10, 4 jet hand shower with pause
- 150 cm (59") double interlock flexible hose and swivel
- Ø19 mm (¾") slide bar

Available colors


- C : Chrome
- PN : Polished nickel (PVD)
- BN : Brushed nickel (PVD)

Flows

- Flow 9.5 L/min, 2.5 gpm (US) 60psi

Certifications

- CSA B125.1
- CMR248 Approval
- ASME A112.18.1



Sizes, models and finishes may differ from those presented.

Warranty

The Riobel inc. product carries a limited LIFETIME warranty on the finish Chrome, Gold (PVD), Brushed nickel (PVD), Night brushed (PVD), Polished nickel (PVD) and all working parts and is guaranteed from the initial date of purchase against all manufacturing defects. Other finished 1 year.

Customer service

Ontario, West Canada : 888-287-5354 Quebec, Maritimes, United States : 866-473-8442



40 cm (16") shower arm

503XX



Specifications

Descriptions


- 1/2" male inlet NPT
- Solid brass
- Round flange

Available colors

- C : Chrome
- PN : Polished nickel (PVD)
- BN : Brushed nickel (PVD)

Certifications

- CMR248 Approval



Sizes, models and finishes may differ from those presented.

Warranty

The Riobel inc. product carries a limited LIFETIME warranty on the finish Chrome, Gold (PVD), Brushed nickel (PVD), Night brushed (PVD), Polished nickel (PVD) and all working parts and is guaranteed from the initial date of purchase against all manufacturing defects. Other finished 1 year.

Customer service

Ontario, West Canada : 888-287-5354 Quebec, Maritimes, United States : 866-473-8442



20 cm (8") shower head

468XX



Specifications

Descriptions

- ½" female inlet
- Solid brass
- Scale-free
- Swivel

Available colors


- C : Chrome
- PN : Polished nickel (PVD)
- BN : Brushed nickel (PVD)

Flows

- Flow 9.5 L/min, 2.5 gpm (US) 60psi

Certifications

- ASME A112.18.1
- CSA B125.1
- CMR248 Approval



Sizes, models and finishes may differ from those presented.

Warranty

The Riobel inc. product carries a limited LIFETIME warranty on the finish Chrome, Gold (PVD), Brushed nickel (PVD), Night brushed (PVD), Polished nickel (PVD) and all working parts and is guaranteed from the initial date of purchase against all manufacturing defects. Other finished 1 year.

Customer service

Ontario, West Canada : 888-287-5354 Quebec, Maritimes, United States : 866-473-8442



Elbow supply with shut-off valve

790XX



Specifications

Descriptions

- ½" female inlet NPT
- ½" male outlet
- Ceramic cartridge
- Solid brass
- Depth adjustable

Available colors


- C : Chrome
- PN : Polished nickel (PVD)
- BN : Brushed nickel (PVD)

Cartridges

- 401-079 (Volume control)

Certifications

- ASME A112.18.1
- CSA B125.1
- CMR248 Approval



Sizes, models and finishes may differ from those presented.

Warranty

The Riobel inc. product carries a limited LIFETIME warranty on the finish Chrome, Gold (PVD), Brushed nickel (PVD), Night brushed (PVD), Polished nickel (PVD) and all working parts and is guaranteed from the initial date of purchase against all manufacturing defects. Other finished 1 year.

Customer service

Ontario, West Canada : 888-287-5354 Quebec, Maritimes, United States : 866-473-8442



Specifications

3/4" double coaxial thermostatic pressure balance valve
VSTM83XX



Descriptions

- 3/4" male inlet NPT
- 4 outlets : 2 outlets 1/2" males NPT and 2 outlets 3/4" males NPT or 1/2" females NPT
- 2 coaxial thermostatic/pressure balanced cartridge with check valves
- 2 different temperatures
- 2 integrated volume controls

Available colors

- C : Chrome
- BN : Brushed nickel (PVD)

Flows


- Flow 69.8 L/min, 18.4 gpm (US) 60psi

Cartridges

- 401-143

Certifications

- ASME A112.18.1
- CSA B125.1
- ASSE 1016
- CMR248 Approval



Sizes, models and finishes may differ from those presented.

Warranty

The Riobel inc. product carries a limited LIFETIME warranty on the finish Chrome, Gold (PVD), Brushed nickel (PVD), Night brushed (PVD), Polished nickel (PVD) and all working parts and is guaranteed from the initial date of purchase against all manufacturing defects. Other finished 1 year.

Customer service

Ontario, West Canada : 888-287-5354 Quebec, Maritimes, United States : 866-473-8442