

Soliste 60

Product code : **SL60**

Draft revision : **20121011161800**

External dimensions : **60" x 36" x 22" [152,4 cm x 91,4 cm x 55,9 cm]**

Serie : **deck mount**

Seats : **1**

2012 catalog page : **37**



Lumbar support : **yes**

Arm rests : **yes**

Low-profile available : **yes**


Also available in **FREESTAND**

Draft and specs




Specifications	
Capacity :	39 IMP Gal. / 50,9 US Gal. / 177,3 liters
AeroMassage™ :	40 Easy Clean™ air jets
Super AeroMassage™ :	AeroMassage™ + 12 Easy Clean™ air jets
Dynamic Turbo™ :	4 Confort Pulse jets / 4 Confort Swirl jets
Confort Air™ :	40 Easy Clean™ air jets
Characteristics :	n/a

Remarks	
*all measures have a precision of ± 1/4" (0,63cm)	
*internal dimensions taken at 4" (10cm) from bath bottom	
*capacity is measured by filling the soaker to 1-1/2" under the overflow	
*textured skirt available on all freestand products	
*shelf height is 3/4" on all "low-profile" models	



Options and installation



*accessories and decorative lines positions are approximative

Additional(s) note(s) :

Keypad supplied but not installed when ordered with tiling flanges or remote control.

Legend					
(S)	Blower	(L)	Mood light	(C)	Keypad
(P1)	Pump	(P2)	Grab bar		
Recommended faucets drilling location*					
Deck cut-out line - - - - -					

Available models	
Model	Availability
Soaker alone	x
Confort Air™	x
AeroMassage™	x
Super AeroMassage™	x
Dynamic Turbo™ (not available in the U.S.)	x
Dynamic Turbo™ + AeroMassage™	x
Dynamic Turbo™ + Super AeroMassage™	x

Available recommended options	
Front skirt :	SP60
Recommended drain :	WOCO
Tiling flanges :	available
Floating controller :	available

*It is possible that faucets may be installed elsewhere on the product. Verify, directly on the product, that there are no conflicting parts before drilling.

IMPORTANT NOTE : Specifications, dimensions and models are subject to change.

Visit our website <http://www.oceania-attitude.com> to access up-to-date dimensions and informations. In all cases, information on the website is the most up-to-date. Dimensions may vary slightly. To ensure proper fit, mesurements must be taken on the product directly.

Head office

591, avenue des Entreprises
Thetford Mines, Quebec
CANADA G6H 4B2

Phone numbers

No-charge : 1-877-332-4224
Fax : 1-866-460-4334

Internet

Web : <http://www.oceania-attitude.com>
Email : info@oceaniabaths.com

Soliste 60 (2 s.right, right waste)

Product code : SL60R-SFR

Draft revision : 20121011162517

External dimensions: 60" x 36" x 22" [152,4 cm x 91,4 cm x 55,9 cm]

Serie : deck mount

Seats : 1

2012 catalog page : 37


Lumbar support : *yes*

Arm rests : *yes*

Low-profile available : *no*


Also available in FREESTAND

Draft and specs




Specifications	
Capacity :	39 IMP Gal. / 50,9 US Gal. / 177,3 liters
AeroMassage™ :	40 Easy Clean™ air jets
Super AeroMassage™ :	AeroMassage™ + 12 Easy Clean™ air jets
Dynamic Turbo™ :	unavailable
Confort Air™ :	unavailable
Characteristics :	2 skirts (front and right), waste at right

Remarks	
* all measures have a precision of ± 1/4" (0,63cm)	
* internal dimensions taken at 4" (10cm) from bath bottom	
* capacity is measured by filling the soaker to 1-1/2" under the overflow	
* textured skirt available on all freestand products	
* shelf height is 3/4" on all "low-profile" models	



Options and installation



* accessories and decorative lines positions are approximative

Additional(s) note(s) :

If system, delivered with keypad not installed. Available in white only. When ordered with AeroMassage™ or Super AeroMassage™, blower must be relocated.

Legend		
(S) Blower	(L) Mood light	(C) Keypad
(P) Pump	(P2) Grab bar	
[X] Recommended faucets drilling location*		
Deck cut-out line - - - - -		

Available models	
Model	Availability
Soaker alone	x
Confort Air™	
AeroMassage™	x
Super AeroMassage™	x
Dynamic Turbo™ (not available in the U.S.)	
Dynamic Turbo™ + AeroMassage™	
Dynamic Turbo™ + Super AeroMassage™	

Available recommended options	
Front skirt :	Integrated
Recommended drain :	WOOD
Tiling flanges :	Included on sides without skirt
Floating controller :	available

* It is possible that faucets may be installed elsewhere on the product. Verify, directly on the product, that there are no conflicting parts before drilling.

IMPORTANT NOTE : Specifications, dimensions and models are subject to change.

Visit our website <http://www.oceania-attitude.com> to access up-to-date dimensions and informations. In all cases, information on the website is the most up-to-date. Dimensions may vary slightly. To ensure proper fit, measurements must be taken on the product directly.

Soliste 60 (2 s.right, left waste)

Product code : SL60L-SFR

Draft revision : 20121011161933

External dimensions: 60" x 36" x 22" [152,4 cm x 91,4 cm x 55,9 cm]

Serie : deck mount

Seats : 1

2012 catalog page : 37


Low-profile available : *no*

Arm rests : *yes*

Also available in **FREESTAND**


Low-profile available : *no*

Draft and specs




Specifications	
Capacity :	39 IMP Gal. / 50,9 US Gal. / 177,3 liters
AeroMassage™ :	40 Easy Clean™ air jets
Super AeroMassage™ :	AeroMassage™ + 12 Easy Clean™ air jets
Dynamic Turbo™ :	unavailable
Confort Air™ :	unavailable
Characteristics :	2 skirts (front and right), waste at left

Remarks	
* all measures have a precision of ± 1/4" (0,63cm)	
* internal dimensions taken at 4" (10cm) from bath bottom	
* capacity is measured by filling the soaker to 1-1/2" under the overflow	
* textured skirt available on all freestand products	
* shelf height is 3/4" on all "low-profile" models	



Options and installation



* accessories and decorative lines positions are approximative

Additional(s) note(s) :

If system, delivered with keypad not installed. Available in white only. When ordered with AeroMassage™ or Super AeroMassage™, blower must be relocated.

Legend		
(S) Blower	(L) Mood light	(K) Keypad
(P1) Pump	(P2) Grab bar	
[X] Recommended faucets drilling location*		
Deck cut-out line - - - - -		

Available models	
Model	Availability
Soaker alone	x
Confort Air™	
AeroMassage™	x
Super AeroMassage™	x
Dynamic Turbo™ (not available in the U.S.)	
Dynamic Turbo™ + AeroMassage™	
Dynamic Turbo™ + Super AeroMassage™	

Available recommended options	
Front skirt :	Integrated
Recommended drain :	WOOD
Tiling flanges :	Included on sides without skirt
Floating controller :	available

* It is possible that faucets may be installed elsewhere on the product. Verify, directly on the product, that there are no conflicting parts before drilling.

IMPORTANT NOTE : Specifications, dimensions and models are subject to change.

Visit our website <http://www.oceania-attitude.com> to access up-to-date dimensions and informations. In all cases, information on the website is the most up-to-date. Dimensions may vary slightly. To ensure proper fit, measurements must be taken on the product directly.

Soliste 60 (2 s.left, right waste)

Product code : SL60R-SFL

Draft revision : 20121011161953

External dimensions: 60" x 36" x 22" [152,4 cm x 91,4 cm x 55,9 cm]

Serie : deck mount

Seats : 1

2012 catalog page : 37


Lumbar support : *yes*

Arm rests : *yes*

Low-profile available : *no*


Also available in **FREESTAND**

Draft and specs




Specifications	
Capacity :	39 IMP Gal. / 50,9 US Gal. / 177,3 liters
AeroMassage™ :	40 Easy Clean™ air jets
Super AeroMassage™ :	AeroMassage™ + 12 Easy Clean™ air jets
Dynamic Turbo™ :	unavailable
Confort Air™ :	unavailable
Characteristics :	2 skirts (front and left), waste at right

Remarks	
* all measures have a precision of ± 1/4" (0,63cm)	
* internal dimensions taken at 4" (10cm) from bath bottom	
* capacity is measured by filling the soaker to 1-1/2" under the overflow	
* textured skirt available on all freestand products	
* shelf height is 3/4" on all "low-profile" models	



Options and installation



* accessories and decorative lines positions are approximative

Additional(s) note(s) :

If system, delivered with keypad not installed. Available in white only. When ordered with AeroMassage™ or Super AeroMassage™, blower must be relocated.

Legend		
(S) Blower	(L) Mood light	(K) Keypad
(P1) Pump	(P2) Grab bar	
[X] Recommended faucets drilling location*		
Deck cut-out line - - - - -		

Available models	
Model	Availability
Soaker alone	x
Confort Air™	
AeroMassage™	x
Super AeroMassage™	x
Dynamic Turbo™ (not available in the U.S.)	
Dynamic Turbo™ + AeroMassage™	
Dynamic Turbo™ + Super AeroMassage™	

Available recommended options	
Front skirt :	Integrated
Recommended drain :	WOOD
Tiling flanges :	Included on sides without skirt
Floating controller :	available

* It is possible that faucets may be installed elsewhere on the product. Verify, directly on the product, that there are no conflicting parts before drilling.

IMPORTANT NOTE : Specifications, dimensions and models are subject to change.

Visit our website <http://www.oceania-attitude.com> to access up-to-date dimensions and informations. In all cases, information on the website is the most up-to-date. Dimensions may vary slightly. To ensure proper fit, measurements must be taken on the product directly.

Soliste 60 (2 s.left, left waste)

Product code : SL60L-SFL

Draft revision : 20121011161838

External dimensions: 60" x 36" x 22" [152,4 cm x 91,4 cm x 55,9 cm]

Serie : deck mount

Seats : 1

2012 catalog page : 37


Low-profile available : *no*

Arm rests : *yes*

Also available in **FREESTAND**


Low-profile available : *no*

Draft and specs




Specifications	
Capacity :	39 IMP Gal. / 50,9 US Gal. / 177,3 liters
AeroMassage™ :	40 Easy Clean™ air jets
Super AeroMassage™ :	AeroMassage™ + 12 Easy Clean™ air jets
Dynamic Turbo™ :	unavailable
Confort Air™ :	unavailable
Characteristics :	2 skirts (front and left), waste at left

Remarks	
* all measures have a precision of ± 1/4" (0,63cm)	
* internal dimensions taken at 4" (10cm) from bath bottom	
* capacity is measured by filling the soaker to 1-1/2" under the overflow	
* textured skirt available on all freestand products	
* shelf height is 3/4" on all "low-profile" models	



Options and installation



* accessories and decorative lines positions are approximative

Additional(s) note(s) :

If system, delivered with keypad not installed. Available in white only. When ordered with AeroMassage™ or Super AeroMassage™, blower must be relocated.

Legend		
(S) Blower	(L) Mood light	(K) Keypad
(P1) Pump	(P2) Grab bar	
[X] Recommended faucets drilling location*		
Deck cut-out line - - - - -		

Available models	
Model	Availability
Soaker alone	x
Confort Air™	
AeroMassage™	x
Super AeroMassage™	x
Dynamic Turbo™ (not available in the U.S.)	
Dynamic Turbo™ + AeroMassage™	
Dynamic Turbo™ + Super AeroMassage™	

Available recommended options	
Front skirt :	Integrated
Recommended drain :	WOOD
Tiling flanges :	Included on sides without skirt
Floating controller :	available

* It is possible that faucets may be installed elsewhere on the product. Verify, directly on the product, that there are no conflicting parts before drilling.

IMPORTANT NOTE : Specifications, dimensions and models are subject to change.

Visit our website <http://www.oceania-attitude.com> to access up-to-date dimensions and informations. In all cases, information on the website is the most up-to-date. Dimensions may vary slightly. To ensure proper fit, measurements must be taken on the product directly.

Soliste 60 (3 skirts, right w aste)

Product code : SL60R-SFLR

Draft revision : 20121011162458

External dimensions: 60" x 36" x 22" [152,4 cm x 91,4 cm x 55,9 cm]

Serie : deck mount

Seats : 1

2012 catalog page : 37


Lumbar support : *yes*

Arm rests : *yes*

Low-profile available : *no*


Also available in FREESTAND

Draft and specs




Specifications	
Capacity :	39 IMP Gal. / 50,9 US Gal. / 177,3 liters
AeroMassage™ :	40 Easy Clean™ air jets
Super AeroMassage™ :	AeroMassage™ + 12 Easy Clean™ air jets
Dynamic Turbo™ :	unavailable
Confort Air™ :	unavailable
Characteristics :	3 skirts (front, left and right), waste at right

Remarks	
* all measures have a precision of ± 1/4" (0,63cm)	
* internal dimensions taken at 4" (10cm) from bath bottom	
* capacity is measured by filling the soaker to 1-1/2" under the overflow	
* textured skirt available on all freestand products	
* shelf height is 3/4" on all "low-profile" models	



Options and installation



* accessories and decorative lines positions are approximative

Additional(s) note(s) :

If system, delivered with keypad not installed. Available in white only. When ordered with AeroMassage™ or Super AeroMassage™, blower must be relocated.

Legend		
(S) Blower	(L) Mood light	(K) Keypad
(P1) Pump	(P2) Grab bar	
[X] Recommended faucets drilling location*		
Deck cut-out line - - - - -		

Available models	
Model	Availability
Soaker alone	x
Confort Air™	
AeroMassage™	x
Super AeroMassage™	x
Dynamic Turbo™ (not available in the U.S.)	
Dynamic Turbo™ + AeroMassage™	
Dynamic Turbo™ + Super AeroMassage™	

Available recommended options	
Front skirt :	Integrated
Recommended drain :	WOOD
Tiling flanges :	Included on sides without skirt
Floating controller :	available

* It is possible that faucets may be installed elsewhere on the product. Verify, directly on the product, that there are no conflicting parts before drilling.

IMPORTANT NOTE : Specifications, dimensions and models are subject to change.

Visit our website <http://www.oceania-attitude.com> to access up-to-date dimensions and informations. In all cases, information on the website is the most up-to-date. Dimensions may vary slightly. To ensure proper fit, measurements must be taken on the product directly.

Soliste 60 (3 skirts, left waste)

Product code: SL60L-SFLR

Draft revision: 20121011161906

External dimensions: 60" x 36" x 22" [152,4 cm x 91,4 cm x 55,9 cm]

Serie: deck mount

Seats: 1

2012 catalog page: 37


Lumbar support: *yes*

Arm rests: *yes*

Low-profile available: *no*


Also available in FREESTAND

Draft and specs




Specifications	
Capacity:	39 IMP Gal. / 50,9 US Gal. / 177,3 liters
AeroMassage™:	40 Easy Clean™ air jets
Super AeroMassage™:	AeroMassage™ + 12 Easy Clean™ air jets
Dynamic Turbo™:	unavailable
Confort Air™:	unavailable
Characteristics:	3 skirts (front, left and right), waste at left

Remarks
* all measures have a precision of ± 1/4" (0,63cm)
* internal dimensions taken at 4" (10cm) from bath bottom
* capacity is measured by filling the soaker to 1-1/2" under the overflow
* textured skirt available on all freestand products
* shelf height is 3/4" on all "low-profile" models



Options and installation



* accessories and decorative lines positions are approximative

Additional(s) note(s):

If system, delivered with keypad not installed. Available in white only. When ordered with AeroMassage™ or Super AeroMassage™, blower must be relocated.

Legend		
(S) Blower	(L) Mood light	(K) Keypad
(P1) Pump	(P2) Grab bar	
[X] Recommended faucets drilling location*		
Deck cut-out line - - - - -		

Available models	
Model	Availability
Soaker alone	x
Confort Air™	
AeroMassage™	x
Super AeroMassage™	x
Dynamic Turbo™ (not available in the U.S.)	
Dynamic Turbo™ + AeroMassage™	
Dynamic Turbo™ + Super AeroMassage™	

Available recommended options
Front skirt: Integrated
Recommended drain: WOOD
Tiling flanges: Included on sides without skirt
Floating controller: available

* It is possible that faucets may be installed elsewhere on the product. Verify, directly on the product, that there are no conflicting parts before drilling.

IMPORTANT NOTE: Specifications, dimensions and models are subject to change.

Visit our website <http://www.oceania-attitude.com> to access up-to-date dimensions and informations. In all cases, information on the website is the most up-to-date. Dimensions may vary slightly. To ensure proper fit, measurements must be taken on the product directly.