

DALI - FREE STANDING

A flamboyant painter and some-time writer, sculptor and experimental film-maker, Salvador Dali was probably the greatest Surrealist artist, using bizarre dream imagery to create unforgettable and unmistakable landscapes of his inner world. With a flair towards the flamboyant, the Dali tub is unique with sensual curves and a distinctive style.



Available Sizes:

70" L x 40" W x 26" D 24" ID
 107 Gallons

MaestroTub – construction features:


- Acrylic** models finished in 1/8" thick layer of deep lustrous acrylic.
- Extra thick** reinforced fiberglass.
- Smooth** anti-slip bottom
- Foam Fill** sound insulator
- Integral** waste & overflow

Maestro Tub – Options:

- Available** as Tub only, Thermal Air,
- Extra High Density** Fiberglass
- Chromatherapy-LED** Lighting System
- Chromatherapy-LED** Mini Spotlights

Approvals

UPC & USPC US & Canada



Model	AC	A	B	C	D	E	F
7040	√	70"	40"	12 ³ / ₈ "	35"	4"	4"
	G	H	I	J	K	L	M
	1 ³ / ₄ "	26"	24"	6 ¹ / ₂ "	62"	42"	32"
	N	O	P	Q	R	S	T
	21"	47"	8"	30"	116°	2 ¹ / ₂ "	19 ¹ / ₂ "
Water Cap.(empty)				Water Cap. (w/bather)			
122 gal.				107 gal.			

DAI - DROP-IN

MaestroTub – construction features:

Acrylic models finished in 1/8" thick layer of deep lustrous acrylic.

Extra thick reinforced fiberglass.

Smooth anti-slip bottom

Foam Fill sound insulator

Integral waste & overflow

8 Fully directional adjustable PVC jets

Anti-vortex safety suction.

Color matched system trim

HydroOzone ozone sanitation system

Rigid PVC piping

Pre-wired pump on pump platform (standard pup location only)

Self draining pump and system

Soft Touch electronic on/off control with 30-min. integral timer

Integral E-Z Level platform facilitates installation

Must be set in Mortar Base

Maestro Tub – Options:

Available as Tub only, Thermal Air, Whirlpool or Combo

Extra High Density Fiberglass

Plated Metallic finish

Additional directional Jets

Swirling, Rotating, or Jumbo Jets

Micro Therapy Jet

1.5 HP Variable Speed Pump (digital temperature display optional)

Electronic low water protection

In-line Heater

Chromatherapy-LED Lighting System

Chromatherapy-LED Mini Spotlights

Mood Light

Grab Bars

Back Masseur

Neck Masseur Pillow

Hydro Fragrance


Hydro Fusion

Hydro Coat

The Green Company






Framing Dimension



Tub Opening Dimension

(L)ength	(W)idth	(H)eight
68"	36"	23¼"

*Disclaimer: Certain options or altering the pump/blower location may cause the pump/blower to extend beyond the tub decking.
 For cutout dimensions wait for unit to arrive.
 All specifications subject to change without notice.*



Model	AC	A	B	C	D	E
7040	√	70"	40"	12¾"	35"	4"
	F	G	H	I	J	K
	4"	1¼"	22¼"	24"	N/A	62"
	L	M	N			
	40"	32"	21"			
Water Capacity (empty)			Water Capacity (w/bather)			
122 gal.			107 gal.			

DAI - FREE STANDING THERMAL AIR

Wash away stress and fatigue with our thermal air system. Thousands of tiny heated bubbles engulf your body in a therapeutic massage from the top of your neck to the soles of your feet. Numerous air outlets placed throughout the lower portion of the bathing well providing an entire body experience that will soothe the body and calm the soul.



The Thermal Air System can be added to any Maestro Tub. Our exclusive Soft touch control puts you in control of your therapy. Whether you desire a high intensity massage to help you prepare for the day ahead, or you want the soft soothing feel of bubbles to prepare yourself for a nights rest, Maestro is your solution. With our true Variable speed system, you manage the duration, intensity and type of massage you desire. This system also has a standard automatic purge cycle that introduces ozone to ensure a sanitary environment after each use.

Maestro Tub Thermal Air Options:



- 1 HP Blower with 600 watt heater
- 7 Functions
- 5 Speeds + Pulsate & Wave
- Hydrozone
- 3/32 of an inch hole size, located every 2" along radius of bath tub
- Chroma-therapy LED lighting system
- Optional Remote Control
- Custom Blower location optional (up to 8 feet)

Optional Remote Control

