


# SERENITY 3

71 1/4 x 36 x 23 1/4 (1810 x 915 x 590)  
inches (mm)



Note: Serenity tub only models feature a Pre-leveled ABS Support Base.



**FEATURES** lbs (kg) Dimensional Tolerance  $\pm 3/8"$ . Dimensions needed for site preparation should be measured from the unit. Aquatic assumes no responsibility for preparatory work.

Type and Model #	Material	System	Powered By	Heater	Controls	Drain	Pkg. Wt.
Soaker #AI3AIR7236TO	Acrylic	-	-	-	-	Universal	215 (98)
HotSoak #AI3AIR7236HS	Acrylic	Water circulation	Pump	1.5 kW Inline maintenance	Electronic on/off	Universal	245 (111)
Air Bath #AI3AIR7236	Acrylic	Air Bath	Variable speed blower	Integrated	Electronic variable	Universal	245 (111)
DriftBath #AI3AIR7236DB	Acrylic	Water circulation	Pump	Integrated	Electronic on/off	Universal	256 (116)

## DIMENSIONS inches (mm)

Width Overall / Net	Depth Overall / Net	Height Overall / Net	Skirt Height
71 1/4 (1810)	36 (915)	23 1/4 (590)	-

## SUMP DATA inches (mm)

Capacity to Overflow gal (ltri)	Min. Operating Capacity gal (ltri)	WIDTH @ centerline		DEPTH @ centerline	
		Top	Bottom	Top	Bottom
90 (341)	-	65 3/4 (1670)	50 1/4 (1275)	24 1/4 (615)	21 1/2 (545)

## PLUMBING DIMENSIONS inches (mm)

A	B	Drain Diameter / Clearance
2 3/4 (70)	10 1/4 (270)	

### NOTES:

- 1) Where applicable, utilize cut-out templates packed with unit for deck cutouts.
- 2) 16 x 20 (405 x 510) minimum access required at pump/blower location(s).
- 3) For Low Profile Deck, framing height will need to be increased by an additional 1".

## ELECTRICAL DATA

Component	Specification	Requirement
Blower/Heater (Air Bath)	10.5 AMP; 120 V	15 AMP; 120V, separate circuit; Class A GFCI
Pump (HotSoak)	1/15 HP; 1.3 AMP; 110 V	20 AMP; 110 V, separate circuit; Class A GFCI
Heater (HotSoak)	1.5 kW; 12.5 AMP; 110 V	
Pump (DriftBath)	3/4 HP; 8.8 AMP; 110 V	15 AMP; 120V, separate circuit; Class A GFCI

Each Serenity air bath is equipped with an air heating system to raise the temperature of the air entering the bath. This air temperature will be lower than the bathing temperature of the water, but will help reduce rapid decrease in water temperature. In addition, the air coming from the air jets will feel cool against the skin. This system does not heat the water.