


**SensoWash® Slim Shower toilet seat # 611200001001300 / 611200001501300**

| < 14 3/4 " > |



Shower toilet seat	Dimension	Weight	Order number
Matches series DuraStyle, White, Slow close, Seat material type: Duroplast, Lid material type: Duroplast, Lid actuation: Manual, Water position adjustment: 5 Steps, Number of spray intensity options: 3 Steps, Number of spray temperature options: 4 Steps, Water position adjustment: 5 Steps, Rearwash, Frontwash, Pulsing shower spray: Oscillating, Operation type: Remote control, Controller, Self-cleaning function, Holiday mode, Night light, cUPC listed: No, UL: No			
<b>Colors</b>			
00 White			
<b>Variant</b>			

**SensoWash® Slim Shower toilet seat # 611200001001300 / 611200001501300**


|< 14 3/4 " >|

Decalcification function, Connection voltage: 100 - 120 V, Min. frequency: 50 Hz, WaterSense: No, cUPC listed: Yes	14 3/4 "x4 1/8 "	12.125 lb	611200001001300
Seat material type: Thermoplastic, Lid material type: Thermoplastic, Heated seat, Decalcification function, Energy saving mode: Adjustable, Connection voltage: 100 - 120 V, Min. frequency: 50 Hz, WaterSense: No, cUPC listed: Yes	14 3/4 "x4 1/8 "	13.117 lb	611200001501300
<b>Installation accessories</b>			
Installation Set	4 1/8 x 5 3/8 "	0.948 lb	005072
Connection Set Shower-toilets	8 5/8 x 10 1/4 "	1.543 lb	100691
<b>Suitable products</b>			
One Piece Toilet SensoWash toilet, 28 1/8 ", elongated, Siphonic, Flushing rim: Closed, Outlet: vertical, Rough-in: 12 ", cUPC listed: Yes, 15 1/8 x 28 1/8 "	15 1/8 x 28 1/8 "		215751
Wall Mounted Toilet Flush water quantity: 0.8 gal, Washdown model, Flushing rim: Closed, Outlet horizontal, Concealed fixation, Includes connecting set for SensoWash, cUPC listed: Yes, 14 3/4 x 24 3/8 "	14 3/4 x 24 3/8 "		253759
Toilet Bowl SensoWash toilet, 27 3/4 ", elongated, Flush water quantity: 1.28/1.28 gal, Siphonic, Flushing rim: Closed, Trip lever placement: Top, Outlet vertical, cUPC listed: Yes, 15 3/8 x 27 3/4 "	15 3/8 x 27 3/4 "		216051

*All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in inch & mm and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished ceramic piece.*

**DuraStyle One-Piece toilet for SensoWash® # 215751..05 / 215751..85 / 215751..05 / 215751..85**

**< 14 5/8" Inch >**



One-Piece toilet for SensoWash®	Dimension	Weight	Order number
only in combination with SensoWash, syphonic, 12" rough-in, connecting elements for SensoWash with concealed connections included, vertical outlet, cUPC® listed*			
<b>Colors</b>			
00 White 20 HygieneGlaze (an antibacterial ceramic glaze that provides almost indefinite effectiveness)			
<b>Variant</b>			
◆ 1.32/0.92 gpf, with dual flush piston valve, top flush, ADA height	14 5/8" x 28 3/8" Inch	121.3 lb	215751..05
◆ 1.28 gpf, with single flush piston valve, top flush, ADA height	14 5/8" x 28 3/8" Inch	121.3 lb	215751..85
◆ 1.32/0.92 gpf, with dual flush piston valve, top flush, ADA height	14 5/8" x 28 3/8" Inch	121.3 lb	215751..05
◆ 1.28 gpf, with single flush piston valve, top flush, ADA height	14 5/8" x 28 3/8" Inch	121.3 lb	215751..85
Sanitary ceramics with the special WonderGliss surface finish will remain clean and attractive-looking for a long time to come. When ordering WonderGliss please add a "1" as eleventh digit to the model number.			
Mounting set for One-Piece and Two-Piece toilets, outlet 3/8" - male thread, wall connection 1/2" - female thread, 1/2", North American version	17 3/4" Inch	1.1 lb	001417
<b>Suitable products</b>			

**DuraStyle One-Piece toilet for SensoWash® # 215751..05 / 215751..85 / 215751..05 / 215751..85**

|< 14 5/8" Inch >|

<p>SensoWash® Starck C shower-toilet seat for DuraStyle* Rear-, Lady- and Comfortwash, individual adjustment of water-, air- and seat surface temperature as well as nozzle position and jet strength, heated seat, warm air dryer, power actuated lid and seat, night light, 2 individually programmable user profiles, remote control included, self-cleaning wand, on / off-button, with concealed connections, Quick release: easy seat unit removal and attachment, 14 3/4" x 20 1/2" Inch</p>	<p>14 3/4" x 20 1/2" Inch</p>	<p>610200</p>
<p>SensoWash® Slim shower-toilet seat for DuraStyle* Rear-, Lady- and Comfortwash, with slow close, night light, remote control included, locking function via remote control, self-cleaning wand, on / off-button, with concealed connections, automatic drainage in periods of prolonged disuse, 14 3/4" x 21 1/4" Inch</p>	<p>14 3/4" x 21 1/4" Inch</p>	<p>611200</p>

*All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in inch & mm and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished ceramic piece.*