

29 141

# GROHTherm® SMARTCONTROL

## DUAL FUNCTION THERMOSTATIC VALVE TRIM WITH CONTROL MODULE

Pure Freude  
an Wasser



### STANDARD SPECIFICATION:

- GROHE StarLight®
- GROHE SmartControl®: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow, exchangeable symbols
- GROHE TurboStat® compact 3/4" cartridge with wax thermo element
- GROHE SafeStop safety button with manual override at 100°F/38°C
- GROHE SafeStop Plus temperature limiter at 115° F/46° C
- Multiple outlets can be run simultaneously
- 6 1/4" Metal wall escutcheon with GROHE QuickFix®
- 3/8" Thin profile escutcheon
- Wall plate is angle adjustable up to 6°
- Optional flow reducer for CALGreen compliance included (Note: Cannot be used for shower systems that include tub spout)
- Built-in check valve with dirt strainer
- Includes icons to customize push buttons: Hand Shower, Showerhead & Bath Filler
- Includes service stops
- Maximum combined flow performance: 7.7gpm (29L/min) @ 43.5psi (3 bar)
- Requires Grohtherm® Rapido® SmartBox (35 601) (sold separately)



### PRODUCT FEATURES:

-  **GROHE StarLight®**
-  **GROHE TurboStat®**
-  **GROHE QuickFix®**
-  **GROHE SmartControl®**
-  **GROHE SafeStopPlus**

### CERTIFICATIONS:

- Massachusetts Plumbing Board Approved
- ASSE 1016
- CSA B125.1
- CSA B125.16
- ASME A112.18.1
- ASME A112.1016

### AVAILABLE FINISHES:

- 29141000**  GROHE StarLight® Chrome
- 291412430**  Matte Black
- 29141A00**  Hard Graphite
- 29141EN0**  Brushed Nickel InfinityFinish™
- 29141GN0**  Brushed Cool Sunrise

NOTE: Install this product according to the installation guide. ADA, CSA compliant when installed to the specific requirements of these regulations.

We reserve the right to make revisions without notice to product specifications. 04-11-2023

**US**  
Tel: 1.630.582.7711 Fax: 1.630.582.7722  
For the most current Specification Sheet,  
go to [www.grohe.us](http://www.grohe.us).

**Canada**  
Tel: 1.888.644.7643 Fax: 1.905.366.2071  
For the most current Specification Sheet,  
go to [www.grohe.ca](http://www.grohe.ca).

PART OF **LIXIL**

29 141

## GROHTHERM® SMARTCONTROL


DUAL FUNCTION THERMOSTATIC VALVE  
TRIM WITH CONTROL MODULE

*Pure Freude  
an Wasser*



### TECHNICAL DATA:

|                |            |
|----------------|------------|
| Product Height | 6-1/4 in   |
| Product Length | 1-11/16 in |
| Product Width  | 6-1/4 in   |



35 601

## RAPIDO® SMARTBOX

### UNIVERSAL ROUGH-IN BOX

Pure Freude  
an Wasser



#### STANDARD SPECIFICATION:

- 3 Outlets 1/2" female NPT
- 2 Inlets below, 1/2" female NPT
- Installation depth 3"-4 1/8" (75-105mm)
- Connection unit in DR brass
- Includes integrated pre-mounted flushing plug
- Stable built-in box / protective cover
- Leak-proof housing
- Service Stops for maintenance of cartridge included with the trim
- Mounting options for solid walls and dry walls
- Trim sold separately



#### PRODUCT FEATURES:

#### CERTIFICATIONS:

- Massachusetts Plumbing Board Approved
- ASSE 1016
- CSA B125.1
- CSA B125.16
- ASME A112.18.1
- ASME A112.1016

#### AVAILABLE FINISHES:

**35601000** No Finish

NOTE: Install this product according to the installation guide. ADA, CSA compliant when installed to the specific requirements of these regulations.

We reserve the right to make revisions without notice to product specifications. 01-21-2022

#### US

Tel: 1.630.582.7711 Fax: 1.630.582.7722  
For the most current Specification Sheet,  
go to [www.grohe.us](http://www.grohe.us).

#### Canada

Tel: 1.888.644.7643 Fax: 1.905.366.2071  
For the most current Specification Sheet,  
go to [www.grohe.ca](http://www.grohe.ca).

PART OF **LIXIL**

35 601

## RAPIDO® SMARTBOX

### UNIVERSAL ROUGH-IN BOX

Pure Freude  
an Wasser




#### TECHNICAL DATA:

Product Height 5-11/16 in

Product Length 4-1/8 in

Product Width 6-15/16 in



26 797

# RAINSHOWER™ SMARTACTIVE

## SHOWER HEAD, 6 1/2" - 3 SPRAYS

Pure Freude  
an Wasser



### STANDARD SPECIFICATION:

- GROHE StarLight® Finish
- GROHE DreamSpray®
- GROHE EcoJoy™
- GROHE DripStop™ minimizes dripping after water is turned off
- GROHE SmartToggle™ showering spray selection at the push of a lever
- Speed Clean® anti-lime system
- 6 1/2" Face
- 3 Sprays: GROHE Rain with DripStop, Jet with DripStop, ActiveMassage
- Max. flow rate: 1.75gpm (6.6L/min)



### PRODUCT FEATURES:

- GROHE StarLight®
- GROHE DreamSpray®
- GROHE EcoJoy™
- GROHE DripStop™
- GROHE SmartToggle™
- Speed Clean®

### CERTIFICATIONS:



- WaterSense
- CEC Certified
- CALGreen Compliant
- Massachusetts Plumbing Board Approved
- Energy Policy Act of 1992
- CSA B125.1
- ASME A112.18.1

### AVAILABLE FINISHES:

- 26797000** GROHE StarLight® Chrome
- 267972430** Matte Black
- 26797A00** Hard Graphite
- 26797EN0** Brushed Nickel InfinityFinish™
- 26797GN0** Brushed Cool Sunrise

NOTE: Install this product according to the installation guide. ADA, CSA compliant when installed to the specific requirements of these regulations.

We reserve the right to make revisions without notice to product specifications. 04-04-2023

**US**  
Tel: 1.630.582.7711 Fax: 1.630.582.7722  
For the most current Specification Sheet,  
go to [www.grohe.us](http://www.grohe.us).

**Canada**  
Tel: 1.888.644.7643 Fax: 1.905.366.2071  
For the most current Specification Sheet,  
go to [www.grohe.ca](http://www.grohe.ca).

PART OF **LIXIL**

26 797

# RAINSHOWER™ SMARTACTIVE


## SHOWER HEAD, 6 1/2" - 3 SPRAYS

Pure Freude  
an Wasser



### TECHNICAL DATA:

|                     |           |
|---------------------|-----------|
| Product Height      | 165.90 mm |
| Product Length      | 82.30 mm  |
| Product Width       | 165.90 mm |
| GPM (Min)-GPM (Max) | 1.75 GPM  |



# 26 633

## RELEXA®

### 6" SHOWER ARM

Pure Freude  
an Wasser



#### STANDARD SPECIFICATION:

- GROHE StarLight®
- Square escutcheon
- 1/2" NPT Male threads



#### PRODUCT FEATURES:



GROHE StarLight®

#### CERTIFICATIONS:

- CSA B125.1
- ASME A112.18.1

#### AVAILABLE FINISHES:

|           |                                                                                       |                                |
|-----------|---------------------------------------------------------------------------------------|--------------------------------|
| 26633000  |  | GROHE StarLight® Chrome        |
| 266332430 |  | Matte Black                    |
| 26633A00  |  | Hard Graphite                  |
| 26633EN0  |  | Brushed Nickel InfinityFinish™ |
| 26633GN0  |  | Brushed Cool Sunrise           |

NOTE: Install this product according to the installation guide. ADA, CSA compliant when installed to the specific requirements of these regulations.

We reserve the right to make revisions without notice to product specifications. 04-11-2023

**US**  
Tel: 1.630.582.7711 Fax: 1.630.582.7722  
For the most current Specification Sheet,  
go to [www.grohe.us](http://www.grohe.us).

**Canada**  
Tel: 1.888.644.7643 Fax: 1.905.366.2071  
For the most current Specification Sheet,  
go to [www.grohe.ca](http://www.grohe.ca).

PART OF **LIXIL**

26 633

**RELEXA®**


6" SHOWER ARM

*Pure Freude  
an Wasser*



**TECHNICAL DATA:**

|                |        |
|----------------|--------|
| Product Height | 75 mm  |
| Product Length | 152 mm |
| Product Width  | 65 mm  |



26 552

# RAINSHOWER™ SMARTACTIVE

## HAND SHOWER - 3 SPRAYS

Pure Freude  
an Wasser



### STANDARD SPECIFICATION:

- GROHE StarLight®
- GROHE DreamSpray®
- GROHE EcoJoy®
- Speed Clean® anti-lime system
- 5" (130mm) Square face
- 3 Sprays: Rain, Jet, ActiveMassage
- GROHE SmartTip showering spray selection via push of a ring
- Max. flow rate: 1.75gpm (6.6L/min)



### PRODUCT FEATURES:

- GROHE StarLight®
- GROHE DreamSpray®
- GROHE EcoJoy™
- Speed Clean®

### CERTIFICATIONS:



- WaterSense
- CEC Certified
- CALGreen Compliant
- Massachusetts Plumbing Board Approved
- Energy Policy Act of 1992
- CSA B125.1
- ASME A112.18.1

### AVAILABLE FINISHES:

- 26552000** GROHE StarLight® Chrome
- 265522430** Matte Black
- 26552A00** Hard Graphite
- 26552EN0** Brushed Nickel InfinityFinish™
- 26552GN0** Brushed Cool Sunrise

NOTE: Install this product according to the installation guide. ADA, CSA compliant when installed to the specific requirements of these regulations.

We reserve the right to make revisions without notice to product specifications. 04-04-2023

**US**  
Tel: 1.630.582.7711 Fax: 1.630.582.7722  
For the most current Specification Sheet,  
go to [www.grohe.us](http://www.grohe.us).

**Canada**  
Tel: 1.888.644.7643 Fax: 1.905.366.2071  
For the most current Specification Sheet,  
go to [www.grohe.ca](http://www.grohe.ca).

PART OF **LIXIL**

26 552

**RAINSHOWER™ SMARTACTIVE**


HAND SHOWER - 3 SPRAYS

Pure Freude  
an Wasser



**TECHNICAL DATA:**

|                     |                   |
|---------------------|-------------------|
| Product Height      | 9-1/2 in          |
| Product Length      | 1-13/16 in        |
| Product Width       | 5-1/8 in          |
| GPM (Min)-GPM (Max) | 1.75 gal (US)/min |



# 26602

## RAINSHOWER

### 24" SHOWER SLIDE BAR



#### STANDARD SPECIFICATION:

- GROHE LongLife finish
- GROHE FastFixation Plus adjustable distance between brackets for easy alignment with existing drilling holes
- GROHE TileFix (adjustable depth on upper and lower brackets to accommodate uneven surfaces)
- GROHE EasyReach tray
- Swivel hand shower holder
- Adjustable angle of hand shower
- Adjustable height



#### AVAILABLE FINISHES:

- |           |                                                                                     |                               |
|-----------|-------------------------------------------------------------------------------------|-------------------------------|
| 26602000  |  | GROHE StarLight Chrome        |
| 266022430 |  | Matte Black                   |
| 26602A00  |  | Hard Graphite                 |
| 26602AL0  |  | Brushed Hard Graphite         |
| 26602DL0  |  | Brushed Warm Sunset           |
| 26602EN0  |  | Brushed Nickel InfinityFinish |
| 26602GN0  |  | Brushed Cool Sunrise          |

#### CERTIFICATIONS:



- ADA
- CSA B125.1
- ASME A112.18.1

#### PRODUCT FEATURES:

NOTE: Install this product according to the installation guide. ADA, CSA compliant when installed to the specific requirements of these regulations.

We reserve the right to make revisions without notice to product specifications. 10-23-2025

**US**  
Tel: 1.630.582.7711 Fax: 1.630.582.7722  
For the most current Specification Sheet,  
go to [www.grohe.us](http://www.grohe.us).

**Canada**  
Tel: 1.888.644.7643 Fax: 1.905.366.2071  
For the most current Specification Sheet,  
go to [www.grohe.ca](http://www.grohe.ca).

**PART OF LIXIL**

26602

## RAINSHOWER

24" SHOWER SLIDE BAR




GROHE SPA

### TECHNICAL DATA:

Product Height 630 mm

Product Length 140 mm

Product Width 140 mm



# 26994

## UNIVERSAL

### 59" METAL SHOWER HOSE



#### STANDARD SPECIFICATION:

- GROHE LongLife finish
- 59" Long
- Metal hose
- Tensile strength 500 N
- Pressure resistance: up to 14.5psi (16 bar)
- Heat resistance 165°F
- AntiFold bend proof
- 1/2" NPT female threads
- Rotation cone for Twist-free function
- Silicone strip prevents hand shower from turning while in body spray position



#### AVAILABLE FINISHES:

- |           |                                                                                                                   |
|-----------|-------------------------------------------------------------------------------------------------------------------|
| 26994000  |  GROHE StarLight Chrome        |
| 269942430 |  Matte Black                   |
| 26994A00  |  Hard Graphite                 |
| 26994AL0  |  Brushed Hard Graphite         |
| 26994DL0  |  Brushed Warm Sunset           |
| 26994EN0  |  Brushed Nickel InfinityFinish |
| 26994GN0  |  Brushed Cool Sunrise          |

#### CERTIFICATIONS:



- ADA
- CSA B125.1
- ASME A112.18.1

#### PRODUCT FEATURES:

NOTE: Install this product according to the installation guide. ADA, CSA compliant when installed to the specific requirements of these regulations.

We reserve the right to make revisions without notice to product specifications. 10-14-2025

**US**  
Tel: 1.630.582.7711 Fax: 1.630.582.7722  
For the most current Specification Sheet,  
go to [www.grohe.us](http://www.grohe.us).

**Canada**  
Tel: 1.888.644.7643 Fax: 1.905.366.2071  
For the most current Specification Sheet,  
go to [www.grohe.ca](http://www.grohe.ca).

PART OF **LIXIL**

26994

**UNIVERSAL**


59" METAL SHOWER HOSE



GROHE SPA

**TECHNICAL DATA:**

|                |          |
|----------------|----------|
| Product Height | 23 mm    |
| Product Length | 1,500 mm |
| Product Width  | 23 mm    |



# 26635

## RAINSHOWER

### WALL UNION



#### STANDARD SPECIFICATION:

- GROHE LongLife finish
- 1/2" NPT threads
- Check valve included to prevent backflow



#### AVAILABLE FINISHES:

- |                  |                                                                                                                   |
|------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>26635000</b>  |  GROHE StarLight Chrome        |
| <b>266352430</b> |  Matte Black                   |
| <b>26635A00</b>  |  Hard Graphite                 |
| <b>26635AL0</b>  |  Brushed Hard Graphite         |
| <b>26635DL0</b>  |  Brushed Warm Sunset           |
| <b>26635EN0</b>  |  Brushed Nickel InfinityFinish |
| <b>26635GN0</b>  |  Brushed Cool Sunrise          |

#### CERTIFICATIONS:



- Massachusetts Plumbing Board Approved
- Energy Policy Act of 1992
- CSA B125.1
- ASME A112.18.1

#### PRODUCT FEATURES:

NOTE: Install this product according to the installation guide. ADA, CSA compliant when installed to the specific requirements of these regulations.

We reserve the right to make revisions without notice to product specifications. 10-14-2025

**US**  
Tel: 1.630.582.7711 Fax: 1.630.582.7722  
For the most current Specification Sheet,  
go to [www.grohe.us](http://www.grohe.us).

**Canada**  
Tel: 1.888.644.7643 Fax: 1.905.366.2071  
For the most current Specification Sheet,  
go to [www.grohe.ca](http://www.grohe.ca).

**PART OF LIXIL**

# 26635

## RAINSHOWER

### WALL UNION



#### TECHNICAL DATA:

Product Height 64 mm

Product Length 90 mm

Product Width 50 mm

