



Shower - CL.1

BIG RAIN Rain panel for flush ceiling installation manual control - polished stainless steel

Article number: 41 401 979-85 0010



- 7-7/8" x 6-1/4" headshower, 99 jets
- 14-1/8" x 11" body shower, 142 jets
- 23-5/8" x 18-7/8" stainless steel cover plate
- 2x 1/2" flex lines
- 4x mounting pins
- Pre-assembled stainless steel casing
- Descaling system

Technical data:

- Max Flow rate for each rain function: 2.5 gpm
- minimum working pressure = 29 Psi
- maximum working pressure = 58 Psi
- Weight: 27 lbs

Technical data:

Plumbing:

- Water softening device recommended
- For choosing the drainage, taking into consideration the output of items in the shower, the specific demand needs to be assessed.
- Supply line (hot/cold): 2 x 3/4"



polished stainless steel

Discontinued items available to order until 31.12.9999

All dimensions in mm / inch = mm x 0,0394




Shower - CL.1

BIG RAIN Rain panel for flush ceiling installation manual control - polished stainless steel

Article number: 41 401 979-85 0010

Flow rate chart






Shower - CL.1

BIG RAIN Rain panel for flush ceiling installation manual control - polished stainless steel

Article number: 41 401 979-85 0010

Other surface finishes




matte stainless steel


41 401 979-86 0010

More custom finish options are available via special production (xTra Service). Please see our finish matrix for availability and pricing or contact a Dornbracht representative.

Spare parts list




Number	Item Number	Designation	Number of units
1	04 30 35 010 00 90	fixing set	4
2	04 17 09 001 00-85	casing	1
3	12 502 970 90	Flexible supply line 1/2" x 1/2" x 15-3/4" -	2
4	04 24 03 027 01 90	nipple	2
5	04 21 50 004 01 90	accessories	2
6	04 12 05 004 10 90	shower	1
7	09 30 30 155 90	screw	4
8	09 31 20 036 90	plug	4
9	04 29 03 036 00 90	insert	241
10	04 11 02 113 02-85	cover	1
11	09 24 04 112 10 90	nipple	1
12	09 23 01 042 90	insert	1
13	09 24 03 027 90	nipple	1
14	09 14 20 025 90	seal	1
15	35 104 970-90 0010	Wall mounted three-way diverter -	1



Product specifications


- **4 3/4" projection**
- Cover plate 9 1/2" x 2 3/8"
- 1/2" connection
- Plug link connection



Surfaces


- | | |
|-----------------|-------------|
| • chrome | 13420979-00 |
| • matt platinum | 13420979-06 |

Exploded assembly drawing




Order quantity

No.	Article number	Name	Installation quantity
1	0430310240190	fixing set	1
2	09179705690	holder	1
3	9024050080090	nipple set	1
4	09141050490	seal	1
5	9029300400090	insert	1
6	09171104490	distributor	1
7	092797034ff	rosette	1
8	09311104990	pin	4
9	09303014790	screw	2
10	09303008690	screw	4
11	093001104ff	casing	1
12	09140350490	seal	1
13	091194046ff	spout	1




Bathtub - Concealed rough parts
 Rough-in adapter -
 Article number: 35 080 970-90 0010

- 1/2" male NPT x 1/2" female straight



Dimensional drawing



All dimensions in mm / inch = mm x 0,0394



Bathtub - Concealed rough parts
Rough-in adapter -
Article number: 35 080 970-90 0010



Bathtub - Concealed rough parts
Rough-in adapter -
Article number: 35 080 970-90 0010

Spare parts list

Number	Item Number	Designation	Number of units
--------	-------------	-------------	-----------------






Product specifications

- Wall bracket
 - Volume control with ceramic disc cartridge
 - 3/8" shower outlet
 - Hand shower with descaling system and back flow preventer
 - Total height 9 1/2"
 - 3/8" x 1/2" x 49 1/4" shower hose with rotating hose connector
 - 2 3/8" x 2 3/8" flange
 - 1/2" wall elbow with back flow preventer
 - Water flow rate limited to max. 2 gpm
- Internal backflow preventer.

[ADA]


For use with xTOOL thermostat modules



Surfaces


- | | |
|-----------------|-------------|
| • chrome | 27809985-00 |
| • chrome | 27809985-00 |
| • matt platinum | 27809985-06 |
| • matt platinum | 27809985-06 |

Exploded assembly drawing



Order quantity

No.	Article number	Name	Installation quantity
1	28451985ff	connection	1
2	09142002690	seal	1
3	28050980ff	holder	1
4	093002072ff	hose	1
5	28010979ff	shower	1






Product specifications

Exposed trim parts only, rough to be ordered separately

- Flange 4 3/4 x 4 3/4"
- Temperature control handle with safety lock 100.4 °F




Surfaces

- | | |
|-----------------|-------------|
| • chrome | 36416780-00 |
| • matt platinum | 36416780-06 |
| • platinum | 36416780-08 |

Accessories required


- Rough for xTool thermostat without volume control; 35517970

Exploded assembly drawing



Order quantity

No.	Article number	Name	Installation quantity
1	1217797090	Extension 28mm Thermostat xTOOL (concealed rough parts)	1
2	1217897090	extension	1
3	091102196ff	cover	1
4	09141004990	seal	1
5	092102112ff	sleeve	1
6	04173300401ff	handle	1
7	092133010ff	handle	1
8	09160202790	spring	1
9	09303013690	screw	1
10	093120049ff	plug	1







Product specifications

Exposed trim parts only, rough to be ordered separately

- Flange 2 3/8 x 2 3/8"

[ADA]




Surfaces

- | | |
|-----------------|-------------|
| • chrome | 36310705-00 |
| • matt platinum | 36310705-06 |

Accessories required

- Rough for wall-mounted volume control – 1/2" clockwise closing; 35621970
- Rough for wall-mounted volume control – 1/2" counter-clockwise closing; 35671970
- Rough for wall-mounted volume control – 3/4" clockwise closing; 35622970
- Rough for wall-mounted volume control – 3/4" counter-clockwise closing; 35672970

Exploded assembly drawing



Bath & Spa

36310705 Wall valve

Article number: 36310705



Order quantity

No.	Article number	Name	Installation quantity
1	90207005101ff	handle	1
2	09210210890	disc	1



SKU: 35549970-900010

Dornbracht

Specifications Currently Unavailable