DORN BRACHT

xTOOL Concealed thermostat - Chrome

SERIES-VARIOUS

36 416 979 Product version up to 6/30/2020



- Cover plate Ø 4-7/8"
- Temperature control handle with safety lock at 100 °F/ 38°C

Fits: TARA, VAIA, META

Chrome	36 416 979-00
Brushed Platinum	36 416 979-06
Platinum	36 416 979-08
Durabrass (23kt Gold)	36 416 979-09
Dark Chrome	36 416 979-19
Light Gold (PVD)	36 416 979-26
Brushed Light Gold (PVD)	36 416 979-27
Brushed Durabrass (23kt Gold)	36 416 979-28
Matte Black	36 416 979-33
Brushed Gold (PVD)	36 416 979-37
Brushed Dark Brass (PVD)	36 416 979-39
Brushed Bronze (PVD)	36 416 979-42
Brushed Dark Bronze (PVD)	36 416 979-43
Brushed Champagne (22kt Gold)	36 416 979-46
Champagne (22kt Gold)	36 416 979-47
Cyprum	36 416 979-49
Brushed Chrome	36 416 979-93
Brushed Dark Platinum	36 416 979-99

Required article



xTOOL Concealed thermostat rough - 35 517 970-90 0010

- Min. rough in depth 4"
- Max. rough in depth 6-1/8"


DORN BRACHT

xTOOL Concealed thermostat - Chrome


SERIES-VARIOUS

36 416 979 Product version up to 6/30/2020

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1 cUPC

Certificates and sustainability


IAPMO_4976 (	EPD-DOR-20230287-IBA1-EN Environmental.product-declarat

DORN BRACHT

xTOOL Concealed thermostat - Chrome

SERIES-VARIOUS

36 416 979 Product version up to 6/30/2020



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
8	90 16 02 027 00 90	spring	1.00	14
6	90 17 33 004 00-00	handle	1.00	82
1	12 178 970 90	Extension 1-3/4" -	1.00	14
3	09 11 02 162-00	cover	1.00	82
2	90 31 09 095 00 90	bar	1.00	14
5	90 21 02 112 00-00	sleeve	1.00	26
10	90 31 20 049 00-00	plug	1.00	26
9	90 30 30 136 00 90	screw	1.00	14
4	90 14 10 049 00 90	seal	1.00	14
7	90 21 33 011 00-13	handle	1.00	14

DORN BRACHT

connection

36 310 892



DORN BRACHT

connection

36 310 892

DORN BRACHT

connection

36 310 892

Codes & Standards

ASME A112.18.1 cUPC

Certificates and sustainability

IAPMO_4976 (