CL.1 Lavatory spout, deck-mounted without drain - Chrome

13 715 705 Product version from 3/9/2015 to 6/15/2021




- 6-1/4" Projection
- Rigid spout
- Rectangular aerator with 40 individual streams
- Total height 8"
- Height to aerator/spout outlet 7-1/2"
- 1-3/8" hole diameter
- 2x 3/8" flexible supply lines
- 1/2" connection
- Water flow rate limited to max. 1.1 gpm
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Chrome	13 715 705-00
Brushed Platinum	13 715 705-06
Dark Chrome	13 715 705-19
Brushed Champagne (22kt Gold)	13 715 705-46
Champagne (22kt Gold)	13 715 705-47
Brushed Dark Platinum	13 715 705-99


CL.1 Lavatory spout, deck-mounted without drain - Chrome

13 715 705 Product version from 3/9/2015 to 6/15/2021

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	DIN 4109
EPA WaterSense	Executive Order no. 1007	ISO 3822	NSF372
NSF61	Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen

WaterSense

CL.1 Lavatory spout, deck-mounted without drain - Chrome


13 715 705 Product version from 3/9/2015 to 6/15/2021

Certificates and sustainability

GDV_0400	LGA_28	IAPMO_N-4	IAPMO_4976	IAPMO_8834
WRAS_1512	IAPMO_6	EPD-DOR-20230287-IBA1-EN Environmental.product-declarat		

CL.1 Lavatory spout, deck-mounted without drain - Chrome

13 715 705 Product version from 3/9/2015 to 6/15/2021



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
9	04 23 10 044 06 90	fixing set	1.00	14
2	09 31 11 044 90	pin	1.00	14
8	09 30 01 208 90	connection	1.00	14
1	90 11 70 003 00-00	spout	1.00	26
7	04 30 04 019 00 90	hose	2.00	14
6	09 11 10 055 10 90	connection	1.00	14
3	09 16 01 016 90	ring	1.00	14
5	09 14 10 130 90	seal	1.00	14
4	09 23 01 034 90	flow reducer	1.00	14

CL.1 Deck valve clockwise-closing cold - Chrome

20 004 705 Product version from 3/9/2015



- 1-1/4" hole diameter
- Flange 2-3/8" x 1-7/8"
- with marking for cold


(ADA)

Chrome	20 004 705-00
Brushed Platinum	20 004 705-06
Dark Chrome	20 004 705-19
Brushed Champagne (22kt Gold)	20 004 705-46
Champagne (22kt Gold)	20 004 705-47
Brushed Dark Platinum	20 004 705-99


CL.1 Deck valve clockwise-closing cold - Chrome

20 004 705 Product version from 3/9/2015

mm [inches]



Flow rate chart



Codes & Standards

ADA	ASME A112.18.1	cUPC	DIN 4109
ISO 3822	NSF372	NSF61	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		

CL.1 Deck valve clockwise-closing cold - Chrome

20 004 705 Product version from 3/9/2015


Certificates and sustainability

IAPMO_N-4 LGA_28 IAPMO_4976 IAPMO_6 WRAS_240202

EPD-DOR-20230287
-IBA1-EN
Environmental.prod
uct-declarat

CL.1 Deck valve clockwise-closing cold - Chrome

20 004 705 Product version from 3/9/2015



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
5	04 17 11 023 10 90	distributor	1.00	14
7	09 30 11 059 90	disc	1.00	14
3	90 90 03 153 00 90	top	1.00	14
1	90 20 70 051 06-00	handle (cold)	1.00	26
2	04 17 11 058 53 90	side panel	1.00	14
4	04 23 10 032 78 90	fixing set	1.00	14
8	09 23 10 012 90	nut	1.00	14
6	90 23 30 040 00-00	threaded connector	1.00	26

CL.1 Deck valve counter-clockwise closing hot - Chrome

CL.1

20 004 706 Product version from 3/9/2015



- 1-1/4" hole diameter
- Flange 2-3/8" x 1-7/8"
- with marking for hot


(ADA)

Chrome	20 004 706-00
Brushed Platinum	20 004 706-06
Dark Chrome	20 004 706-19
Brushed Champagne (22kt Gold)	20 004 706-46
Champagne (22kt Gold)	20 004 706-47
Brushed Dark Platinum	20 004 706-99


CL.1 Deck valve counter-clockwise closing hot - Chrome

20 004 706 Product version from 3/9/2015

mm [inches]



Flow rate chart



Codes & Standards

ADA	ASME A112.18.1	cUPC	DIN 4109
ISO 3822	NSF372	NSF61	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		

CL.1 Deck valve counter-clockwise closing hot - Chrome

20 004 706 Product version from 3/9/2015

Certificates and sustainability


IAPMO_N-4 LGA_28 IAPMO_4976 IAPMO_6 WRAS_240202

EPD-DOR-20230287
-IBA1-EN
Environmental.prod
uct-declarat

CL.1 Deck valve counter-clockwise closing hot - Chrome

20 004 706 Product version from 3/9/2015

Parts for other finishes can be found here: Brushed Platinum



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	90 20 70 051 07-00	handle (hot)	1.00	26
5	04 17 11 023 10 90	distributor	1.00	14
4	04 23 10 032 78 90	fixing set	1.00	14
8	09 23 10 012 90	nut	1.00	14
7	09 30 11 059 90	disc	1.00	14
2	04 17 11 058 52 90	side panel	1.00	14
3	90 90 03 152 00 90	top	1.00	14
6	90 23 30 040 00-00	threaded connector	1.00	26