


SKU: 41610979

Dornbracht

Specifications Currently Unavailable


-
RAINMOON Concealed rain panel
Article number: 35 610 970-90 0010



- Rough parts

1 rain panel ceiling installation housing

- Ceiling installation bracket: 53.1" x 53.1" x 11"
- 2 x supply lines, 3/4"-14 NPT (mixed water), NPS 1/2"
- 1 x connector, 110-230 V AC power supply
- Ceiling panel cut-out, Ø 50.4"



All dimensions in mm / inch = mm x 0,0394

27 812 660 Product version from 9/1/2025



Fits: TARA, VAIA, META

- COMPACT RAIN, flow rate max. 1.8 gpm (at 3 bar)
- Function from: 1.3 gpm
- Internal back flow preventer
- Descaling system
- Metal shower hose 49-1/4" with anti-twist device

Technical data:

- Flange diameter 2-3/8"
- 1/2" connection

Notes:

- This product reduces water consumption by 47% (compared to requirements of EPAct '92)
- This product contributes to meeting the requirements of the LEED® Green Building Rating
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Chrome	27 812 660-00 0010
	Brushed Platinum	27 812 660-06 0010
	Platinum	27 812 660-08 0010
	Dark Chrome	27 812 660-19 0010
	Light Gold (PVD)	27 812 660-26 0010
	Brushed Light Gold (PVD)	27 812 660-27 0010
	Brushed Durabronze (23kt Gold)	27 812 660-28 0010
	Matte Black	27 812 660-33 0010
	Brushed Gold (PVD)	27 812 660-37 0010
	Brushed Dark Brass (PVD)	27 812 660-39 0010
	Brushed Bronze (PVD)	27 812 660-42 0010
	Brushed Dark Bronze (PVD)	27 812 660-43 0010
	Brushed Champagne (22kt Gold)	27 812 660-46 0010
	Champagne (22kt Gold)	27 812 660-47 0010
	Brushed Chrome	27 812 660-93 0010
	Brushed Dark Platinum	27 812 660-99 0010


Recommended article

Rough-in adapter -

35 080 970-90
0010



27 812 660 Product version from 9/1/2025



Codes & Standards

ASME A112.18.1

cUPC

EPA WaterSense


WaterSense



Certificates and sustainability

IAPMO_4976 (

IAPMO_11777




Spare parts list

Number	Item Number	Designation	Number of units	Lead time
10	90 24 03 325 00 90	nipple	1.00	2
7	90 23 01 131 00 90	back-flow preventer	1.00	2
9	90 27 66 029 00-00	rosette	1.00	10
11	04 31 11 115 00 90	pin	1.00	2
1	09 21 02 170-00	cap	1.00	10
4	09 18 40 216 90	sleeve	1.00	2
12	90 14 20 026 00 90	seal	1.00	2
5	90 11 03 137 00-00	connection	1.00	10
6	09 14 10 213 90	seal	1.00	2
8	90 31 11 112 00 90	pin	1.00	2
3	09 23 01 039 90	sieve	1.00	2
2	90 12 11 140 41-00	shower	1.00	10
13	90 30 02 008 00-00	hose	1.00	10




Bathtub - Concealed rough parts
Rough-in adapter -
Article number: 35 080 970-90 0010

- 1/2" male NPT x 1/2" female straight



Dimensional drawing



All dimensions in mm / inch = mm x 0,0394



Bathtub - Concealed rough parts
Rough-in adapter -
Article number: 35 080 970-90 0010



Bathtub - Concealed rough parts
Rough-in adapter -
Article number: 35 080 970-90 0010

Spare parts list

Number	Item Number	Designation	Number of units
--------	-------------	-------------	-----------------



Bathtub - Meta

xTOOL Concealed thermostat without volume control 3/4" - platinum matte

Article number: 36 503 979-06

- Cover plate Ø 4-7/8"
- Temperature control handle with safety lock at 100 °F/ 38°C
- Thermostat cartridge
- Fittings group in compliance with DIN 4109: 2




platinum matte

Accessory is required for this item.

Discontinued items available to order until 31.12.9999

Dimensional drawing

mm [inches]



All dimensions in mm / inch = mm x 0,0394



Bathtub - Meta

xTOOL Concealed thermostat without volume control 3/4" - platinum matte

Article number: 36 503 979-06



Bathtub - Meta

xTOOL Concealed thermostat without volume control 3/4" - platinum matte

Article number: 36 503 979-06

Other surface finishes




polished chrome
36 503 979-00



platinum
36 503 979-08




Durabrass
36 503 979-09



white matte
36 503 979-10



Brushed Durabrass
36 503 979-28



black matte
36 503 979-33



chrome matte
36 503 979-93



Dark Platinum matte
36 503 979-99

More custom finish options are available via special production (xTra Service). Please see our finish matrix for availability and pricing or contact a Dornbracht representative.



35 503 970-90 0010


xTOOL Concealed thermostat
rough without volume control
3/4" -

Bathtub - Meta

xTOOL Concealed thermostat without volume control 3/4" - platinum matte

Article number: 36 503 979-06

Spare parts list




Number	Item Number	Designation	Number of units
1	90 15 02 065 00 90	cartridge	1
2	04 31 09 095 00 90	bar	1
3	09 11 02 162-06	cover	1
4	09 14 10 049 90	seal	1
5	09 21 02 112-06	sleeve	1
6	04 17 33 004 01-06	handle	1
7	09 21 33 010-13	handle	1
8	09 16 02 027 90	spring	1
9	09 30 30 136 90	screw	1
10	09 31 20 049-13	plug	1
11	12 178 970 90	Extension 1-3/4" -	1



Product specifications

Exposed trim parts only, rough to be ordered separately




Surfaces

- | | |
|-----------------|-------------|
| • chrome | 36310740-00 |
| • matt platinum | 36310740-06 |
| • matt black | 36310740-33 |

Accessories required


- Rough for wall-mounted volume control – 1/2" clockwise closing; 35621970
- Rough for wall-mounted volume control – 3/4" clockwise closing; 35622970

Exploded assembly drawing



Order quantity

No.	Article number	Name	Installation quantity
1	092074004ff	handle	1
2	04277400200ff	rosette	1
3	09121200290	fixing cap	1
4	09311105590	pin	1
5	092774002ff	rosette	1
6	04290602000ff	spindle	1
7	09141006090	seal	1
8	092906020ff	spindle	1
9	09141502090	ring	1
10	09233002390	nut	1
11	09300110790	sleeve	1





Shower - FM products

xTOOL Concealed thermostat rough with three volume controls -


: 35 547 970-90 0010



- 2x Shaft and sleeve can be cut to length
- 2x back flow preventer
- 2x Water protection
- 3x Mud guard
- 1/2" connection
- brass, lead free
- Sound insulation
- Center to center 4-3/4"
- Thermostat cartridge
- Integrated supply stops
- 2x connections 3/4" (hot/cold)
- NOTE: Important for certain series! Due to minimum rough-in requirements, a framing of 2x6 studs is needed.



Dimensional drawing



Source	min	max
Circle	80	110
Lulu	80	110
Madison	80	110
Madison Fleur	80	110
TARA LOGIC	80	110
Meta.02	80	110
Soul	80	110
Square	80	110
Cult	80	110
L'Aura	80	110
Domicil	85	110
Just	80	155
LaFleur	95	160
SUPERNOVA	95	160
Symetria	95	160
DECKE	95	160
Tara	95	160
MEM	115	156
CL1	115	156



Shower - FM products

xTOOL Concealed thermostat rough with three volume controls -

: 35 547 970-90 0010

Recommended article



12 177 970 90
Extension 1-1/8" -



12 178 970 90
Extension 1-3/4" -