


- Brass construction with choice of 21 finishes
- Single handle control
- 4-Port 3 Way diverter valve
- Shared outlets in between functions



If you need assistance with installation, replacement parts or have any questions regarding your Rubinet product, please call a Customer Service representative at: **905-851-6781 toll free 1-800-461-5901 or visit [www.rubinet.com](http://www.rubinet.com)**

150811

THE **Rubinet** FAUCET COMPANY


## ASSEMBLY INSTRUCTION

## 4XFML or C

### THREE WAY DIVERTER WITH SHARED OUTLETS IN BETWEEN FUNCTIONS



**4XFML**





## 4XFMC

**REMOVAL OF FIXTURE:**


**REMOVAL OF FIXTURE:**  
Always turn the water supply off before removing the existing fixture or disassembling a valve. Open both faucet handles to relieve water pressure and to ensure that the water has been successfully turned off.

**CARE OF FIXTURE:**


The use of warm water and a soft cloth is all that is required to clean Rubinet products. The patina of our living finishes (Oil Rubbed Bronze & Tuscan Brass) will change as a result of normal use. Applying Mineral Oil on occasion will create a softer look, subtle color changes and character.






4




1



2







Mark threaded sleeve



Cut threaded sleeve where marked

3

Mark Spline 5/8" from  
the Diverter Sleeve end

Cut spline where marked