# CYO Lavatory spout, deck-mounted without drain - Chrome

CYO

13 715 811



- 5-1/4" Projection
- Rigid spout
- Rectangular aerated stream
- Total height 7-1/8"
- Height to aerator/spout outlet 5"
- 1-3/8" hole diameter
- 2x 1/2" x 1/2" flex lines
- Water flow rate limited to max. 1.2 gpm
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

| | |
|---|---|
| Chrome | 13 715 811-00 |
| Brushed Platinum | 13 715 811-06 |
| Dark Chrome | 13 715 811-19 |
| Brushed Durabrass (23kt Gold) | 13 715 811-28 |
| Platinum / Brushed Platinum | 13 715 811-36 |
| Durabrass / Brushed Durabrass (23kt Gold) | 13 715 811-38 |
| Brushed Dark Platinum | 13 715 811-99 |

# CYO Lavatory spout, deck-mounted without drain - Chrome



13 715 811

## Codes & Standards

| | | | |
|---|---|---|---|
| ASME A112.18.1 | California Energy Commission (CEC) | cUPC | DIN 4109 |
| ISO 3822 | NSF61 | Scottish Water Byelaws | UK Water Supply Regulations |

Ü-Zeichen

## Certificates and sustainability

| | | | | |
|---|---|---|---|---|
| LGA_38 | WRAS_2107 | IAPMO_N-4 | IAPMO_4976 | EPD-DOR-20230287-IBA1-EN Environmental.product-declarat |


DORN BRACHT

# CYO Lavatory spout, deck-mounted without drain - Chrome

CYO

13 715 811

Parts for other finishes can be found here: Brushed Platinum




## Spare parts list

| Number | Item Number | Designation | Number of units | Lead time |
|---|---|---|---|---|
| 8 | 04 30 04 096 00 90 | hose | 2.00 | 14 |
| 6 | 04 23 10 044 09 90 | fixing set | 1.00 | 14 |
| 1 | 90 11 70 012 00-00 | spout | 1.00 | 26 |
| 4 | 09 14 10 017 90 | seal | 1.00 | 14 |
| 3 | 90 30 01 033 00 90 | base | 1.00 | 14 |
| 5 | 09 24 04 021 10 90 | nipple | 1.00 | 14 |
| 2 | 09 23 01 163 90 | flow reducer | 1.00 | 14 |
| 9 | 04 21 02 006 00 92 | cap | 2.00 | 14 |
| 7 | 90 17 11 020 10 90 | distributor | 1.00 | 14 |