TARA Two-hole tub mixer for freestanding installation with hand shower set - Chrome

TARA

25 943 882 Product version up to 5/27/2021



- 8-5/8" Projection
- Swiveling spout 180°
- Spout: Round aerated stream
- Hand-held shower: COMPACT RAIN, flow rate max. 1.8 gpm (at 3 bar)
- Hand shower with descaling system
- Tub / shower diverter
- Total height 36-1/4"
- Riser height 24-3/4"
- Height to aerator/spout outlet 30-1/8"
- Flanges Ø 3-1/2"
- Center to center mounts 5-7/8"
- Metal shower hose 49-1/4" with anti-twist device
- Hand shower to be mounted on right pillar
- Water flow rate limited to max. 5.8 gpm

(ADA)

NOTE: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 914 970 90)
Internal backflow preventer.

(ADA)

NOTE: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 914 970 90)

Internal backflow preventer.

Chrome	25 943 882-00
Brushed Platinum	25 943 882-06
Platinum	25 943 882-08
Dark Chrome	25 943 882-19
Brushed Durabrass (23kt Gold)	25 943 882-28
Matte Black	25 943 882-33
Brushed Dark Brass (PVD)	25 943 882-39
Brushed Bronze (PVD)	25 943 882-42
Brushed Dark Bronze (PVD)	25 943 882-43
Brushed Champagne (22kt Gold)	25 943 882-46
Champagne (22kt Gold)	25 943 882-47
Brushed Chrome	25 943 882-93
Brushed Dark Platinum	25 943 882-99

Required article




Floor mounting rough set - 35 951 970-90 0010
- Max. rough in depth 6-1/4"
- Min. rough in depth 3-1/8"

DORN BRACHT


TARA Two-hole tub mixer for freestanding installation with hand shower set - Chrome

25 943 882 Product version up to 5/27/2021

mm [inches]



Flow rate chart



Codes & Standards

ADA	ASME A112.18.1	cUPC	DIN 4109
EN 1717	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
Ü-Zeichen			

TARA Two-hole tub mixer for freestanding installation with hand shower set - Chrome

25 943 882 Product version up to 5/27/2021


Certificates and sustainability

IAPMO_4976 WRAS_2212 LGA_18 Belgaqua_21-033-2 Belgaqua_25-339-2

EPD-DOR-20230287-IBA1-EN Environmental.product-declarat

TARA Two-hole tub mixer for freestanding installation with hand shower set - Chrome

25 943 882 Product version up to 5/27/2021



DORN BRACHT

TARA Two-hole tub mixer for freestanding installation with hand shower set - Chrome

25 943 882 Product version up to 5/27/2021

Spare parts list

Number	Item Number	Designation	Number of units	Lead time
30	90 90 03 131 00 90	top	1.00	14
28	09 24 03 081 10 90	extension	4.00	14
11	04 24 04 189 00-00	nipple	1.00	26
21	09 27 89 025-00	rosette	2.00	26
13	28 019 979-00	Hand shower - Chrome	1.00	82
8	90 28 22 222 00-00	spout	1.00	26
27	09 30 11 130-07	connection	2.00	54
29	09 24 03 080 90	extension	2.00	14
35	09 24 03 121-00	nipple	1.00	26
20	09 14 10 041 90	seal	2.00	14
10	90 21 10 011 00 90	diverter	1.00	14
7	90 90 03 130 00 90	top	1.00	14
17	09 29 05 021 20 90	nipple	2.00	14
3	09 20 88 052-00	handle	2.00	26
16	04 28 10 029 01-00	holder	1.00	26
14	90 30 02 072 00-00	Metal shower hose 1/2" x 3/8" x 49-1/4" - Chrome	1.00	26
31	90 15 01 005 00 90	insert	1.00	14
2	04 18 20 022 00-00	angle	2.00	26
18	09 14 10 112 90	seal	4.00	14
4	90 12 12 007 00-00	base	2.00	26
37	09 21 02 143-00	sleeve	1.00	26
32	90 18 20 025 00-00	diverter	1.00	26
26	04 23 10 023 00 90	fixing set	2.00	14
36	09 23 01 131 90	back-flow preventer	1.00	14
33	09 28 10 028-00	sleeve	1.00	26
23	04 28 22 009 20-00	connection	2.00	26
9	90 23 01 024 00-00	aerator	1.00	26
22	09 23 30 040-07	nut	2.00	54
24	09 14 10 081 90	seal	2.00	14
19	90 14 10 055 00 90	seal	4.00	14
34	90 14 10 032 00 90	seal	2.00	14
38	90 14 20 026 00 90	seal	1.00	14
12	90 14 20 002 00 90	seal	1.00	14
15	90 18 40 035 00 90	sleeve	1.00	14
5	90 30 11 029 00 90	disc	2.00	14
6	90 30 30 075 00 90	screw	2.00	14
1	04 20 88 052 10-00	handle	2.00	26
25	90 24 03 094 00 90	nipple	2.00	26

Model/program/technical modifications and error excepted
For more information see: www.dornbracht.com + 49 (0) 2371 8899 900 mail@dornbracht.com