Wall mounted two-way diverter

COYA

36 200 424 Product version from 1/1/2026



- Manual diverter
- Flange 3-1/8" x 3-1/8"
- with integrated shut-off

Chrome	36 200 424-00 0010
Brushed Platinum	36 200 424-06 0010
Dark Chrome	36 200 424-19 0010
Brushed Durabrass (23kt Gold)	36 200 424-28 0010
Brushed Dark Brass (PVD)	36 200 424-39 0010
Brushed Bronze (PVD)	36 200 424-42 0010
Brushed Dark Bronze (PVD)	36 200 424-43 0010
Brushed Champagne (22kt Gold)	36 200 424-46 0010
Champagne (22kt Gold)	36 200 424-47 0010
Brushed Dark Platinum	36 200 424-99 0010

Required article



Wall mounted two-way diverter -
●Min. rough in depth 3-3/8"
●Max. rough in depth 5-7/8"

35 202 970-90 0010

DORN BRACHT

Wall mounted two-way diverter

COYA

36 200 424 Product version from 1/1/2026

mm [inches]



Codes & Standards

ASME A112.18.1 cUPC

Certificates and sustainability


EPD-DOR-20230287 IAPMO_4976 (
-IBA1-EN
Environmental.prod
uct-declarat

DORN BRACHT

Wall mounted two-way diverter

COYA

36 200 424 Product version from 1/1/2026



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
10	90 14 10 060 00 90	seal	1.00	14
9	90 12 12 002 00 90	fixing cap	1.00	14
5	90 12 12 234 00-00	base	1.00	26
1	90 20 40 010 06-00	handle	1.00	26
3	90 27 40 035 00-00	rosette	1.00	26
12	90 31 11 007 00 90	pin	1.00	14
15	90 90 03 304 10 90	diverter	1.00	14
7	09 30 30 084 90	screw	1.00	14
2	90 29 06 022 00 90	spindle	1.00	14
11	90 31 11 116 00 90	plug	1.00	14
14	90 23 30 023 00 90	nut	1.00	14
13	90 21 02 181 00 90	disc	1.00	14
4	90 20 40 010 00-00	handle	1.00	26
6	90 30 11 029 00 90	disc	1.00	14
8	90 21 02 405 00-00	cover	1.00	26