DORN BRACHT

LISSÉ Concealed thermostat with one-way diverter - Chrome

LISSÉ

36 425 845 Product version from 3/9/2016 to 8/24/2020



- Cover plate 5-7/8" x 3-1/2"
- Temperature control handle with safety lock at 100 °F/ 38°C
- Max. temperature can be set on the trim

Chrome	36 425 845-00 0010
Brushed Platinum	36 425 845-06 0010
Dark Chrome	36 425 845-19 0010
Brushed Light Gold (PVD)	36 425 845-27 0010
Matte Black	36 425 845-33 0010
Brushed Chrome	36 425 845-93 0010
Brushed Dark Platinum	36 425 845-99 0010

Required article



Concealed thermostat for one- and two-way outlets - 35 426 970-90 0010
- Max. rough in depth 5-3/8"
- Min. rough in depth 3-1/8"

Recommended article



xGRID Mounting bracket for drywall construction - 12 340 970 90

Required article



xGRID Installation track 21.85" - 12 360 970 90

DORN BRACHT

LISSÉ Concealed thermostat with one-way diverter - Chrome

36 425 845 Product version from 3/9/2016 to 8/24/2020

mm [inches]



Codes & Standards

ADA

Certificates and sustainability

EPD-DOR-20230287
-IBA1-EN
Environmental.prod
uct-declarat

LISSÉ Concealed thermostat with one-way diverter - Chrome

36 425 845 Product version from 3/9/2016 to 8/24/2020



DORN BRACHT

LISSÉ Concealed thermostat with one-way diverter - Chrome

36 425 845 Product version from 3/9/2016 to 8/24/2020

Spare parts list

Number	Item Number	Designation	Number of units	Lead time
18	09 12 12 051-00	base	1.00	26
23	90 30 01 190 00 90	disc	1.00	14
20	09 11 02 302-00	plate	1.00	26
9	90 16 02 027 00 90	spring	1.00	14
12	09 30 30 160-00	screw	1.00	26
11	09 30 30 159-00	screw	1.00	26
5	90 12 12 002 00 90	fixing cap	1.00	14
2	09 12 12 053-00	base	1.00	26
15	09 12 12 054 90	base	1.00	14
16	09 28 10 190 90	regulator	1.00	14
21	09 30 30 157 90	screw	4.00	14
6	09 20 67 006-00	handle	1.00	82
28	09 28 10 189 90	regulator	1.00	14
7	04 17 33 006 00-00	handle	1.00	82
27	90 15 02 013 00 90	cartridge	1.00	14
19	09 31 11 134 90	pin	1.00	14
10	09 20 33 006-00	handle	1.00	26
26	09 24 04 257 90	nut	2.00	14
22	09 30 01 296 90	disc	1.00	14
1	90 90 03 166 00 90	top	1.00	14
13	90 30 30 124 00 90	screw	1.00	14
3	04 29 06 111 01-00	spindle	1.00	26
4	90 23 30 023 00 90	nut	2.00	14
24	90 23 01 124 00 90	sleeve	2.00	14
25	90 18 40 077 01 90	spindle	2.00	14
17	04 29 06 024 01-00	spindle	1.00	26
14	90 12 12 052 00 90	base	1.00	14
8	90 21 33 011 00-13	handle	1.00	14