LULU Concealed thermostat with two-way diverter - Chrome

LULU

36 426 710 Product version up to 8/24/2020



- Diverter with integrated volume control
- Cover plate 5-7/8" x 3-1/2"
- Temperature control handle with safety lock at 100 °F/ 38°C
- Max. temperature can be set on the trim
- single flow function only

(ADA)

(ADA)

Chrome	36 426 710-00 0010
Brushed Platinum	36 426 710-06 0010

Required article



Concealed thermostat for one- and two-way outlets - 35 426 970-90 0010
- Max. rough in depth 5-3/8"
- Min. rough in depth 3-1/8"

Required article



xGRID Installation track 21.85" - 12 360 970 90

Recommended article




xGRID Mounting bracket for drywall construction - 12 340 970 90

LULU Concealed thermostat with two-way diverter - Chrome

36 426 710 Product version up to 8/24/2020

mm [inches]



Codes & Standards

ADA	ASME A112.18.1	California Energy Commission (CEC)	cUPC


Certificates and sustainability

IAPMO_4976 (	EPD-DOR-20230287-IBA1-EN Environmental.product-declarat

DORN BRACHT

LULU Concealed thermostat with two-way diverter - Chrome

36 426 710 Product version up to 8/24/2020



DORN BRACHT

LULU Concealed thermostat with two-way diverter - Chrome

36 426 710 Product version up to 8/24/2020

Spare parts list

Number	Item Number	Designation	Number of units	Lead time
26	09 24 04 257 90	nut	2.00	14
28	09 28 10 189 90	regulator	1.00	14
12	09 30 30 160-00	screw	1.00	26
9	90 16 02 027 00 90	spring	1.00	14
20	09 11 02 264-00	plate	1.00	26
23	90 30 01 190 00 90	disc	1.00	14
5	90 12 12 002 00 90	fixing cap	1.00	14
16	09 28 10 190 90	regulator	1.00	14
15	09 12 12 054 90	base	1.00	14
7	90 17 33 004 00-00	handle	1.00	82
6	09 20 67 006-00	handle	1.00	82
11	09 30 30 159-00	screw	1.00	26
19	09 31 11 134 90	pin	1.00	14
10	09 20 33 006-00	handle	1.00	26
2	09 12 12 053-00	base	1.00	26
27	90 15 02 013 00 90	cartridge	1.00	14
1	90 90 03 163 00 90	diverter	1.00	14
21	09 30 30 157 90	screw	4.00	14
22	09 30 01 296 90	disc	1.00	14
18	09 12 12 051-00	base	1.00	26
24	90 23 01 124 00 90	sleeve	2.00	14
3	04 29 06 111 01-00	spindle	1.00	26
13	90 30 30 124 00 90	screw	1.00	14
14	90 12 12 052 00 90	base	1.00	14
25	90 18 40 077 01 90	spindle	2.00	14
4	90 23 30 023 00 90	nut	2.00	14
17	04 29 06 024 01-00	spindle	1.00	26
8	90 21 33 011 00-13	handle	1.00	14