LULU Concealed thermostat with three-way diverter - Chrome

LULU

36 428 710 Product version from 3/13/2017 to 3/21/2019



- Diverter with integrated volume control
- Cover plate 5-7/8" x 3-1/2"
- Temperature control handle with safety lock at 100 °F/ 38°C
- Max. temperature can be set on the trim
- single flow function only

(ADA)

(ADA)

Chrome	36 428 710-00 0010
Brushed Platinum	36 428 710-06 0010

Required article



Concealed thermostat for three-way outlets - 35 428 970-90 0010

- Max. rough in depth 5-3/8"
- Min. rough in depth 3-1/8"

Required article



xGRID Installation track 21.85" - 12 360 970 90

Recommended article




xGRID Mounting bracket for drywall construction - 12 340 970 90

LULU Concealed thermostat with three-way diverter - Chrome

36 428 710 Product version from 3/13/2017 to 3/21/2019

mm [inches]



Codes & Standards

ADA	ASME A112.18.1	California Energy Commission (CEC)	cUPC


Certificates and sustainability

IAPMO_4976 (	EPD-DOR-20230287 -IBA1-EN Environmental.product-declarat

DORN BRACHT

LULU Concealed thermostat with three-way diverter - Chrome

36 428 710 Product version from 3/13/2017 to 3/21/2019



DORN BRACHT

LULU Concealed thermostat with three-way diverter - Chrome

36 428 710 Product version from 3/13/2017 to 3/21/2019

Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	90 90 03 170 00 90	diverter	1.00	14
22	09 30 01 296 90	disc	1.00	14
11	09 30 30 159-00	screw	1.00	26
10	09 20 33 006-00	handle	1.00	26
26	09 24 04 257 90	nut	2.00	14
18	09 12 12 051-00	base	1.00	26
16	09 28 10 190 90	regulator	1.00	14
27	90 15 02 013 00 90	cartridge	1.00	14
2	09 12 12 053-00	base	1.00	26
21	09 30 30 157 90	screw	4.00	14
19	09 31 11 134 90	pin	1.00	14
28	09 28 10 189 90	regulator	1.00	14
6	09 20 67 006-00	handle	1.00	82
20	09 11 02 317-00	plate	1.00	26
5	90 12 12 002 00 90	fixing cap	1.00	14
7	04 17 33 006 00-00	handle	1.00	82
23	90 30 01 190 00 90	disc	1.00	14
15	09 12 12 054 90	base	1.00	14
12	09 30 30 160-00	screw	1.00	26
9	90 16 02 027 00 90	spring	1.00	14
4	90 23 30 023 00 90	nut	2.00	14
24	90 23 01 124 00 90	sleeve	2.00	14
17	04 29 06 024 01-00	spindle	1.00	26
25	90 18 40 077 01 90	spindle	2.00	14
3	04 29 06 111 01-00	spindle	1.00	26
13	90 30 30 124 00 90	screw	1.00	14
14	90 12 12 052 00 90	base	1.00	14
8	90 21 33 011 00-13	handle	1.00	14