CL.1 Volume Control counter-clockwise closing hot 1/2" - Chrome

CL.1

36 607 707 Product version up to 10/14/2020



- Flange 2-3/8" x 2-3/8"
- with marking for hot
- Ceramic disc cartridge

(ADA)

(ADA)

Chrome	36 607 707-00
Brushed Platinum	36 607 707-06
Dark Chrome	36 607 707-19
Brushed Champagne (22kt Gold)	36 607 707-46
Champagne (22kt Gold)	36 607 707-47
Brushed Dark Platinum	36 607 707-99

Required article



Rough for volume control 1/2" - ●Max. rough in depth 5-7/8" ●Min. rough in depth 4"	35 607 970-90 0010


CL.1 Volume Control counter-clockwise closing hot 1/2" - Chrome

36 607 707 Product version up to 10/14/2020

mm [inches]



Flow rate chart



Codes & Standards

ADA	ASME A112.18.1	cUPC	DIN 4109
EN 200	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
Ü-Zeichen			


36 607 707 Product version up to 10/14/2020

Certificates and sustainability

DVGW_DW-6501DN0	LGA_29	LGA_29	IAPMO_4976 (	EPD-DOR-20230287-IBA1-EN Environmental.product-declarat
WRAS_260502				

CL.1 Volume Control counter-clockwise closing hot 1/2" - Chrome

36 607 707 Product version up to 10/14/2020



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	90 20 70 051 03-00	handle (hot)	1.00	26
2	90 21 02 108 00 90	disc	1.00	14
3	90 90 03 142 00 90	top	1.00	14