TARA Volume Control clockwise-closing 1/2" - Chrome

TARA

36 607 882 Product version from 10/14/2020 to 8/1/2021



- Flange diameter 2-1/8"
- Ceramic disc cartridge

(ADA)

(ADA)

Chrome	36 607 882-00
Brushed Platinum	36 607 882-06
Platinum	36 607 882-08
Dark Chrome	36 607 882-19
Brushed Durabrass (23kt Gold)	36 607 882-28
Matte Black	36 607 882-33
Brushed Dark Brass (PVD)	36 607 882-39
Brushed Bronze (PVD)	36 607 882-42
Brushed Dark Bronze (PVD)	36 607 882-43
Brushed Champagne (22kt Gold)	36 607 882-46
Champagne (22kt Gold)	36 607 882-47
Brushed Chrome	36 607 882-93
Brushed Dark Platinum	36 607 882-99

Required article



Rough for volume control 1/2" - 35 607 970-90 0010
- Max. rough in depth 5-1/2"
- Min. rough in depth 3-1/8"

TARA Volume Control clockwise-closing 1/2" - Chrome

36 607 882 Product version from 10/14/2020 to 8/1/2021

mm [inches]



Flow rate chart



Codes & Standards

ADA	ASME A112.18.1	cUPC	DIN 4109
EN 1111	EN 200	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		

36 607 882 Product version from 10/14/2020 to 8/1/2021

Certificates and sustainability

DVGW_DW-6501DN0	LGA_29	DVGW_DW-6512DN0	LGA_29	IAPMO_4976 (
EPD-DOR-20230287-IBA1-EN Environmental.product-declarat	WRAS_260502	WRAS_260602		

DORN BRACHT

TARA Volume Control clockwise-closing 1/2" - Chrome

36 607 882 Product version from 10/14/2020 to 8/1/2021



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
4	09 27 89 115-00	rosette	1.00	26
7	09 24 05 002 90	nipple	1.00	14
3	90 21 02 108 00 90	disc	1.00	14
10	90 12 12 002 00 90	fixing cap	1.00	14
15	90 12 12 007 00-00	base	1.00	26
8	09 29 06 022 90	spindle	1.00	14
16	04 18 20 022 00-00	angle	1.00	26
11	09 21 02 144-00	sleeve	1.00	26
1	90 90 03 143 00 90	top	1.00	14
17	09 20 88 052-00	handle	1.00	26
6	90 14 15 020 03 90	ring	1.00	14
5	90 31 11 007 00 90	pin	1.00	14
14	90 30 11 029 00 90	disc	1.00	14
2	90 23 30 023 00 90	nut	1.00	14
13	90 30 30 075 00 90	screw	1.00	14
9	90 14 10 060 00 90	seal	1.00	14
12	04 20 88 052 10-00	handle	1.00	26