COYA Wall-mounted three-hole lavatory mixer without drain - Chrome

COYA

36 712 414 Product version from 1/1/2026



- 7-1/2" Projection
- Rigid spout
- Round aerated stream
- Spout hole diameter 1-3/8"
- Valve hole diameter 1-3/8"
- Flange 2-3/8" x 2-3/8"
- Water flow rate limited to max. 1.2 gpm
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

(ADA)

(ADA)

Chrome	36 712 414-00
Brushed Platinum	36 712 414-06
Dark Chrome	36 712 414-19
Brushed Durabrass (23kt Gold)	36 712 414-28
Brushed Dark Brass (PVD)	36 712 414-39
Brushed Bronze (PVD)	36 712 414-42
Brushed Dark Bronze (PVD)	36 712 414-43
Brushed Champagne (22kt Gold)	36 712 414-46
Champagne (22kt Gold)	36 712 414-47
Brushed Dark Platinum	36 712 414-99

Required article



Rough for wall-mounted faucet flexible positioning - 35 720 970-90 0010
- Min. rough in depth 3-1/8"
- Max. rough in depth 5-1/8"

Required article




Rough for wall-mounted faucet , spout in center - 35 700 970-90 0010
- Min. rough in depth 3-1/8"
- Max. rough in depth 5-1/8"

COYA Wall-mounted three-hole lavatory mixer without drain - Chrome


COYA

36 712 414 Product version from 1/1/2026

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	EPA WaterSense
ISO 3822	NSF372	NSF61	Ü-Zeichen
WaterSense			

Certificates and sustainability


IAPMO_N-4976 IAPMO_6397 EPD-DOR-20230287 -IBA1-EN Environmental.product-declarat LGA_39 IAPMO_4976 (

IAPMO_8834

DORN BRACHT

COYA Wall-mounted three-hole lavatory mixer without drain - Chrome

36 712 414 Product version from 1/1/2026



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
14	90 24 03 280 00 90	nipple	1.00	14
8	90 21 02 108 00 90	disc	2.00	14
12	90 28 22 456 00-00	spout	1.00	26
17	90 27 40 005 00-00	rosette	1.00	26
5	90 29 06 119 00 90	spindle	2.00	14
4	90 14 15 028 00 90	ring	2.00	14
9	90 90 03 157 00 90	top	1.00	14
6	09 30 11 194 90	disc	2.00	14
1	90 20 40 001 05-00	handle (hot)	1.00	26
7	09 30 30 158 90	screw	2.00	14
10	90 31 11 118 00 90	set	2.00	14
15	09 24 03 081 10 90	extension	1.00	14
11	09 31 11 048 90	pin	2.00	14
16	90 20 40 001 06-00	handle (cold)	1.00	26
3	90 27 40 004 01-00	rosette	1.00	26
2	90 20 40 001 02-00	handle	2.00	26
18	90 90 03 156 00 90	top	1.00	14
13	09 29 03 125 90	aerator	1.00	14