MEM Wall-mounted three-hole lavatory mixer without drain - Chrome

MEM

36 712 782 Product version from 7/1/2016 to 10/27/2020



- 7-7/8" Projection
- Rigid spout
- Rectangular aerated stream
- Valve hole diameter 1-3/8"
- Spout hole diameter 1-3/8"
- Individual flanges 2-3/8" x 2-3/8"
- Water flow rate limited to max. 1.2 gpm
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

(ADA)

(ADA)

Chrome	36 712 782-00 0010
Brushed Platinum	36 712 782-06 0010
Platinum	36 712 782-08 0010
Dark Chrome	36 712 782-19 0010
Brushed Durabrass (23kt Gold)	36 712 782-28 0010
Brushed Dark Brass (PVD)	36 712 782-39 0010
Brushed Bronze (PVD)	36 712 782-42 0010
Brushed Dark Bronze (PVD)	36 712 782-43 0010
Brushed Champagne (22kt Gold)	36 712 782-46 0010
Champagne (22kt Gold)	36 712 782-47 0010
Brushed Dark Platinum	36 712 782-99 0010

Required article



Rough for wall-mounted faucet , spout in center - 35 700 970-90 0010
- Max. rough in depth 6-1/8"
- Min. rough in depth 4-3/8"

Required article



Rough for wall-mounted faucet flexible positioning - 35 720 970-90 0010
- Max. rough in depth 6-1/8"
- Min. rough in depth 4-3/8"


DORN BRACHT

MEM Wall-mounted three-hole lavatory mixer without drain - Chrome

MEM

36 712 782 Product version from 7/1/2016 to 10/27/2020

mm [inches]



Codes & Standards


ADA	ASME A112.18.1	California Energy Commission (CEC)	cUPC	
EPA WaterSense	NSF372	NSF61	WaterSense	

Certificates and sustainability

IAPMO_N-4976	IAPMO_6397	IAPMO_4976 (	IAPMO_8834	EPD-DOR-20230287-IBA1-EN Environmental.product-declarat

MEM Wall-mounted three-hole lavatory mixer without drain - Chrome

36 712 782 Product version from 7/1/2016 to 10/27/2020



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
4	90 20 78 002 07-00	handle (hot)	1.00	26
3	13 800 782-00 0010	MEM Lavatory spout, wall-mounted without drain - Chrome	1.00	26
5	90 20 78 002 06-00	handle (cold)	1.00	26
2	90 21 02 108 00 90	disc	1.00	14
6	90 90 03 157 00 90	top	1.00	14
1	90 90 03 156 00 90	top	1.00	14
7	90 20 78 002 01-00	handle	1.00	26