Wall-mounted three-hole lavatory mixer without drain

COYA

36 717 424 Product version from 1/1/2026



- 9-1/2" Projection
- Rigid spout
- Round aerated stream
- Spout hole diameter 1-3/8"
- Valve hole diameter 1-3/8"
- Flange 2-3/8" x 2-3/8"
- Water flow rate limited to max. 1.2 gpm
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Chrome	36 717 424-00
Brushed Platinum	36 717 424-06
Dark Chrome	36 717 424-19
Brushed Durabrass (23kt Gold)	36 717 424-28
Brushed Dark Brass (PVD)	36 717 424-39
Brushed Bronze (PVD)	36 717 424-42
Brushed Dark Bronze (PVD)	36 717 424-43
Brushed Champagne (22kt Gold)	36 717 424-46
Champagne (22kt Gold)	36 717 424-47
Brushed Dark Platinum	36 717 424-99

Required article



Rough for wall-mounted faucet flexible positioning - 35 720 970-90 0010
- Min. rough in depth 3-1/8"
- Max. rough in depth 5-1/8"

Required article



Rough for wall-mounted faucet , spout in center - 35 700 970-90 0010
- Min. rough in depth 3-1/8"
- Max. rough in depth 5-1/8"


DORN BRACHT

Wall-mounted three-hole lavatory mixer without drain

COYA

36 717 424 Product version from 1/1/2026

mm [inches]



Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	EPA WaterSense
ISO 3822	NSF372	NSF61	Ü-Zeichen
WaterSense			

Certificates and sustainability


IAPMO_N-4976	IAPMO_6397	EPD-DOR-20230287 LGA_39 -IBA1-EN Environmental.product-declarat	IAPMO_4976 (
IAPMO_8834			

DORN BRACHT

Wall-mounted three-hole lavatory mixer without drain

COYA

36 717 424 Product version from 1/1/2026



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
17	90 27 40 005 00-00	rosette	1.00	26
13	09 24 03 081 10 90	extension	1.00	14
9	90 90 03 157 00 90	top	2.00	14
4	90 14 15 028 00 90	ring	2.00	14
7	09 30 30 158 90	screw	2.00	14
6	09 30 11 194 90	disc	2.00	14
14	90 20 40 010 09-00	handle (cold)	1.00	26
15	90 31 11 118 00 90	set	1.00	14
1	90 20 40 010 08-00	handle (hot)	1.00	26
12	90 24 03 280 00 90	nipple	1.00	14
2	90 20 40 010 00-00	handle	2.00	26
5	90 29 06 119 00 90	spindle	2.00	14
16	09 31 11 048 90	pin	2.00	14
8	90 21 02 108 00 90	disc	2.00	14
11	09 29 03 125 90	aerator	1.00	14
3	90 27 40 004 01-00	rosette	1.00	26
10	90 28 22 458 00-00	spout	1.00	26