# META Wall-mounted single-lever mixer without drain - Chrome

META

36 860 660 Product version from 7/1/2023



- 7-1/2" Projection
- Rigid spout
- Round aerated stream
- Spout hole diameter 1-1/2"
- Hole diameter single-lever mixer 2-1/4"
- 2-1/8" diameter flange for spout
- Diameter flange for mixer 3-1/8"
- Water flow rate limited to max. 1.2 gpm
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

**(ADA)**

(ADA)

| | |
|---|---|
| Chrome | 36 860 660-00 0010 |
| Brushed Platinum | 36 860 660-06 0010 |
| Dark Chrome | 36 860 660-19 0010 |
| Light Gold (PVD) | 36 860 660-26 0010 |
| Brushed Light Gold (PVD) | 36 860 660-27 0010 |
| Matte Black | 36 860 660-33 0010 |
| Brushed Dark Brass (PVD) | 36 860 660-39 0010 |
| Brushed Bronze (PVD) | 36 860 660-42 0010 |
| Brushed Dark Bronze (PVD) | 36 860 660-43 0010 |
| Brushed Chrome | 36 860 660-93 0010 |
| Brushed Dark Platinum | 36 860 660-99 0010 |

## Required article




**Rough for wall-mounted faucet -** 35 860 970-90 0010
- Max. rough in depth 3-3/4"
- Min. rough in depth 3"
- Rough can be rotated to position the lever on top or to the left of the spout.

# META Wall-mounted single-lever mixer without drain - Chrome



36 860 660 Product version from 7/1/2023

mm [inches]




## Codes & Standards

| | | | | |
|---|---|---|---|---|
| ADA | ASME A112.18.1 | California Energy Commission (CEC) | cUPC | |
| EPA WaterSense | NSF372 | NSF61 | WaterSense | |


## Certificates and sustainability

| | | | | |
|---|---|---|---|---|
| IAPMO_N-4976 | IAPMO_6397 | IAPMO_4976 ( | EPD-DOR-20230287 -IBA1-EN Environmental.product-declarat | IAPMO_8834 |

# META Wall-mounted single-lever mixer without drain - Chrome



36 860 660 Product version from 7/1/2023




## Spare parts list

| Number | Item Number | Designation | Number of units | Lead time |
|---|---|---|---|---|
| 4 | 90 28 22 323 01-00 | spout | 1.00 | 26 |
| 8 | 90 15 05 064 01 90 | cartridge | 1.00 | 14 |
| 5 | 90 20 66 007 00-00 | handle | 1.00 | 26 |
| 1 | 09 24 03 072 10 90 | nipple | 1.00 | 14 |
| 2 | 90 24 03 280 00 90 | nipple | 1.00 | 14 |
| 6 | 09 11 02 288-00 | cover | 1.00 | 26 |
| 7 | 90 27 62 011 00-00 | rosette | 1.00 | 26 |
| 9 | 90 30 09 064 00 90 | key | 1.00 | 14 |
| 3 | 09 31 11 148 90 | pin | 1.00 | 14 |