CL.1 Wall-mounted single-lever mixer without drain - Chrome

CL.1

36 860 705 Product version from 7/1/2023



- 7-3/4" Projection
- Rigid spout
- Rectangular aerator with 40 individual streams
- Spout hole diameter 1-1/2"
- Hole diameter single-lever mixer 2-1/4"
- Flange 3-1/8" x 3-1/8"
- Water flow rate limited to max. 1.2 gpm
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

(ADA)

(ADA)

Chrome	36 860 705-00
Brushed Platinum	36 860 705-06
Dark Chrome	36 860 705-19
Brushed Champagne (22kt Gold)	36 860 705-46
Champagne (22kt Gold)	36 860 705-47
Brushed Dark Platinum	36 860 705-99

Required article




Rough for wall-mounted faucet - 35 860 970-90 0010
- Max. rough in depth 3-3/4"
- Min. rough in depth 3"
- Rough can be rotated to position the lever on top or to the left of the spout.


CL.1 Wall-mounted single-lever mixer without drain - Chrome

36 860 705 Product version from 7/1/2023

mm [inches]



Flow rate chart



Codes & Standards

ADA	ASME A112.18.1	California Energy Commission (CEC)	cUPC
DIN 4109	EN 817	EPA WaterSense	ISO 3822
NSF372	NSF61	Ü-Zeichen	WaterSense


36 860 705 Product version from 7/1/2023

Certificates and sustainability

IAPMO_N-4976	DVGW_DW-6512DN0	IAPMO_6397	LGA_29	IAPMO_4976 (
EPD-DOR-20230287-IBA1-EN Environmental.product-declarat	IAPMO_8834			

CL.1 Wall-mounted single-lever mixer without drain - Chrome

36 860 705 Product version from 7/1/2023



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
6	09 27 78 039-00	rosette	1.00	26
4	90 31 20 087 00-00	plug	1.00	26
1	13 800 705-00	CL.1 Lavatory spout, wall-mounted without drain - Chrome	1.00	14
2	09 20 70 050-00	handle	1.00	26
5	09 11 02 288-00	cover	1.00	26
8	90 15 05 064 01 90	cartridge	1.00	14
7	90 14 10 049 00 90	seal	1.00	14
3	90 31 11 030 00 90	pin	1.00	14
9	90 30 09 064 00 90	key	1.00	14