


## PREFAB Shower Floor Kit 32"

### QM PREFAB SHOWER FLOOR | Shower pan:



- 100% Post-Consumer Recycled PET with a recyclable Superdry membrane.
- Pre-Sealed Superdry Waterproofing
- Pre Sloped
- 140 psi compressive strength,.
- Wide Drain Support
- Easily trim or expand with dry-pack mortar.
- UV resistant and built to withstand indoor and outdoor use.



#### Kit includes:

- Shower Pan
- Drain support
- Linear Drain
- Band
- Inside and Outside Corners
- Coupling

### Shower Pan Specifications



### Drain: Delmar Lotus 24"

#### Flange Edge (Vertical Outlet)



SP32.33.400.24F BK  
SP32.33.400.24F BZ  
SP32.33.400.24F GD  
SP32.33.400.24F PS  
SP32.33.400.24F ST

#### Flange Edge (Side Outlet)



SP32.33.400.24FSO BK  
SP32.33.400.24FSO BZ  
SP32.33.400.24FSO GD  
SP32.33.400.24FSO PS  
SP32.33.400.24FSO ST



Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer. Dimensions are subject to manufacturers tolerance and change without notice. We can assume no responsibility for use of superseded or voided data. [Contact us if you have any question at: info@qm-us.com](mailto:info@qm-us.com)

## PREFAB Shower Floor Kit 40"

### QM PREFAB SHOWER FLOOR | Shower pan:



- 100% Post-Consumer Recycled PET with a recyclable Superdry membrane.
- Pre-Sealed Superdry Waterproofing
- Pre Sloped
- 140 psi compressive strength,.
- Wide Drain Support
- Easily trim or expand with dry-pack mortar.
- UV resistant and built to withstand indoor and outdoor use.

#### Kit includes:

- Shower Pan
- Drain support
- Linear Drain
- Band
- Inside and Outside Corners
- Coupling



### Shower Pan Specifications



### Drain: Delmar Lotus 32"

#### Flange Edge (Vertical Outlet)



SP40.33.400.32F BK  
SP40.33.400.32F BZ  
SP40.33.400.32F GD  
SP40.33.400.32F PS  
SP40.33.400.32F ST

#### Flange Edge (Side Outlet)



SP40.33.400.32FSO BK  
SP40.33.400.32FSO BZ  
SP40.33.400.32FSO GD  
SP40.33.400.32FSO PS  
SP40.33.400.32FSO ST



Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer. Dimensions are subject to manufacturers tolerance and change without notice. We can assume no responsibility for use of superseded or voided data. [Contact us if you have any question at: info@qm-us.com](mailto:info@qm-us.com)

## PREFAB Shower Floor Kit 48"

### QM PREFAB SHOWER FLOOR | Shower pan:



- 100% Post-Consumer Recycled PET with a recyclable Superdry membrane.
- Pre-Sealed Superdry Waterproofing
- Pre Sloped
- 140 psi compressive strength,.
- Wide Drain Support
- Easily trim or expand with dry-pack mortar.
- UV resistant and built to withstand indoor and outdoor use.

#### Kit includes:

- Shower Pan
- Drain support
- Linear Drain
- Band
- Inside and Outside Corners
- Coupling



### Shower Pan Specifications



### Drain: Delmar Lotus 36"

#### Flange Edge (Vertical Outlet)



SP48.33.400.36F BK  
SP48.33.400.36F BZ  
SP48.33.400.36F GD  
SP48.33.400.36F PS  
SP48.33.400.36F ST

#### Flange Edge (Side Outlet)



SP48.33.400.36FSO BK  
SP48.33.400.36FSO BZ  
SP48.33.400.36FSO GD  
SP48.33.400.36FSO PS  
SP48.33.400.36FSO ST




Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer. Dimensions are subject to manufacturers tolerance and change without notice. We can assume no responsibility for use of superseded or voided data. [Contact us if you have any question at: info@qm-us.com](mailto:info@qm-us.com)

## PREFAB Shower Floor Kit 58"

### QM PREFAB SHOWER FLOOR | Shower pan:



- 100% Post-Consumer Recycled PET with a recyclable Superdry membrane.
- Pre-Sealed Superdry Waterproofing
- Pre Sloped
- 140 psi compressive strength,.
- Wide Drain Support
- Easily trim or expand with dry-pack mortar.
- UV resistant and built to withstand indoor and outdoor use.



#### Kit includes:

- Shower Pan
- Drain support
- Linear Drain
- Band
- Inside and Outside Corners
- Coupling

### Shower Pan Specifications



### Drain: Delmar Lotus 48"

#### Flange Edge (Vertical Outlet)



SP56.33.400.48F BK ●  
SP56.33.400.48F BZ ●  
SP56.33.400.48F GD ●  
SP56.33.400.48F PS ●  
SP56.33.400.48F ST ●

#### Flange Edge (Side Outlet)



SP56.33.400.48FSO BK ●  
SP56.33.400.48FSO BZ ●  
SP56.33.400.48FSO GD ●  
SP56.33.400.48FSO PS ●  
SP56.33.400.48FSO ST ●


Satin ST Polished PS Black BK Gold GD Bronze BZ

Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer. Dimensions are subject to manufacturers tolerance and change without notice. We can assume no responsibility for use of superseded or voided data. [Contact us if you have any question at: info@qm-us.com](mailto:info@qm-us.com)

## PREFAB Shower Floor Kit 64"

### QM PREFAB SHOWER FLOOR | Shower pan:



- 100% Post-Consumer Recycled PET with a recyclable Superdry membrane.
- Pre-Sealed Superdry Waterproofing
- Pre Sloped
- 140 psi compressive strength,.
- Wide Drain Support
- Easily trim or expand with dry-pack mortar.
- UV resistant and built to withstand indoor and outdoor use.



#### Kit includes:

- Shower Pan
- Drain support
- Linear Drain
- Band
- Inside and Outside Corners
- Coupling

### Shower Pan Specifications



### Drain: Delmar Lotus 58"

#### Flange Edge (Vertical Outlet)



SP64.33.400.58F BK  
SP64.33.400.58F BZ  
SP64.33.400.58F GD  
SP64.33.400.58F PS  
SP64.33.400.58F ST

#### Flange Edge (Side Outlet)



SP64.33.400.58FSO BK  
SP64.33.400.58FSO BZ  
SP64.33.400.58FSO GD  
SP64.33.400.58FSO PS  
SP64.33.400.58FSO ST


Satin ST   Polished PS   Black BK   Gold GD   Bronze BZ

Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer. Dimensions are subject to manufacturers tolerance and change without notice. We can assume no responsibility for use of superseded or voided data. [Contact us if you have any question at: info@qm-us.com](mailto:info@qm-us.com)

## PREFAB Shower Floor Kit 80"

### QM PREFAB SHOWER FLOOR | Shower pan:



- 100% Post-Consumer Recycled PET with a recyclable Superdry membrane.
- Pre-Sealed Superdry Waterproofing
- Pre Sloped
- 140 psi compressive strength,.
- Wide Drain Support
- Easily trim or expand with dry-pack mortar.
- UV resistant and built to withstand indoor and outdoor use.



#### Kit includes:

- Shower Pan
- Drain support
- Linear Drain
- Band
- Inside and Outside Corners
- Coupling

### Shower Pan Specifications



### Drain: Delmar Lotus 58"

#### Flange Edge (Vertical Outlet)



SP80.33.400.58F BK  
SP80.33.400.58F BZ  
SP80.33.400.58F GD  
SP80.33.400.58F PS  
SP80.33.400.58F ST

#### Flange Edge (Side Outlet)



SP80.33.400.58FSO BK  
SP80.33.400.58FSO BZ  
SP80.33.400.58FSO GD  
SP80.33.400.58FSO PS  
SP80.33.400.58FSO ST

Satin ST   Polished PS   Black BK   Gold GD   Bronze BZ

Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer. Dimensions are subject to manufacturers tolerance and change without notice. We can assume no responsibility for use of superseded or voided data. [Contact us if you have any question at: info@qm-us.com](mailto:info@qm-us.com)